

**Sadekar Enviro Engineers Pvt. Ltd.**

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India  
 ☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

Gazetted by Ministry of Environment, Forest & Climate Change, Govt Of India, S. O. 857 (E), Valid upto 25.02.2023 \* QCI-NABET Accredited EIA Consultancy

Lab. accredited by **NABL**, Valid up to 26.03.2020 ★ Certified by ISO 9001:2015 & BS OHSAS 18001 : 2007

**ANALYSIS REPORT FOR AMBIENT AIR SURVEILLANCE**

Report No	SEET/AA/GSL/2019/71	Date	30/11/2019
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23, MIDC, Taloja, Dist : Raigad		
Sample collected by	AA Representative	Duration of sampling	24 Hrs
Reference	-----		
Date of sampling	19/11/2019	Sample Receipt Date	20/11/2019
Analysis Start Date	21/11/2019	Analysis Complete Date	25/11/2019

**AMBIENT AIR STATION**

Location of H.V.S.	Near Material Gate (V-23)	Lateral Distance	5.0 Mtr. From Material Gate
Ambient Temperature	31.5 °C	Receptor Distance	1.5 Mtr. From Ground Level

**POLLUTIONAL PARAMETERS**

Parameters	Units	Result	NAAQS Limits	Method
Particulate Matter PM <sub>10</sub>	µg/m <sup>3</sup>	53.6	100	Instr.Manual version 2.01
Particulate Matter PM <sub>2.5</sub>	µg/m <sup>3</sup>	30.2	60	CPCB Manual Volume 1
Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	30.4	80	IS 5182(part 2)2001 (RA 2017)
Oxide of Nitrogen (NOx)	µg/m <sup>3</sup>	22.7	80	IS 5182(part 2)2006 (RA 2017)
Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	BDL(MDL<19.6)	100	MASA-411 3 <sup>rd</sup> Ed
Lead (Pb)	µg/m <sup>3</sup>	BDL(MDL<0.1)	1.0	MASA-822 3 <sup>rd</sup> Ed
Carbon Monoxide (CO)	mg/m <sup>3</sup>	0.3	02	IS 5182(part 10)1999 (RA 2014)
Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	BDL(MDL<0.02)	400	MASA-401 3 <sup>rd</sup> Ed
Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	BDL(MDL<0.2)	05	IS 5182(part 11)2006 (RA 2017)
Benzo (a) Pyrene (BaP)	ng/m <sup>3</sup>	BDL(MDL<1)	01	CPCB Manual Vol 1 2011
Arsenic (As)	ng/m <sup>3</sup>	BDL(MDL<0.1)	06	MASA-302 3 <sup>rd</sup> Ed
Nickel (Ni)	ng/m <sup>3</sup>	BDL(MDL<7)	20	MASA-822 3 <sup>rd</sup> Ed

**NOTE:** 1) The above results relate only to the condition prevailing at the time of sampling.  
 2) The above results relate only to the item tested.  
 3) NAAQS-National Ambient Air Quality Standards  
 4) BDL - Below Detectable Limit.

Analyzed by



Checked by

OK  
 Checked  
 Smt  
 24/12/19

BRANCH OFF. : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164  
 E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, A/C, Off. Behind Road, Bardez, Porvorim, Panaji-Goa-403 101.  
 Goa State, India. ☎ : (0832) 2411322 / 23 • E-mail : state.goa@rediffmail.com • CIN No. U45209MH1998PTC-116379





# Sadekar Enviro Engineers Pvt. Ltd.

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.  
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER  
SAVE LIFE

Gazetted by Ministry of Environment, Forest & Climate Change, Govt Of India, S. O. 857 (E), Valid upto 25.02.2023 \* QCI-NABET Accredited EIA Consultancy

Lab. accredited by **NABL**, Valid up to 26.03.2020 ★ Certified by ISO 9001:2015 & BS OHSAS 18001 : 2007

## ANALYSIS REPORT FOR AMBIENT AIR SURVEILLANCE

Report No	SEET/AA/GSL/2019/72	Date	30/11/2019
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23, MIDC, Taloja, Dist : Raigad		
Sample collected by	AA Representative	Duration of sampling	24 hrs
Reference	-----		
Date of sampling	19/11/2019	Sample Receipt Date	20/11/2019
Analysis Start Date	21/11/2019	Analysis Complete Date	25/11/2019


### AMBIENT AIR STATION

Location of H.V.S.	Near Gate No.3 (V-23)	Lateral Distance	5.0 Mtr. From Admin Gate
Ambient Temperature	30.8 °C	Receptor Distance	1.5 Mtr. From Ground Level


### POLLUTIONAL PARAMETERS

Parameters	Units	Result	NAAQS Limits	Method
Particulate Matter PM <sub>10</sub>	µg/m <sup>3</sup>	45.7	100	Instr.Manual version 2.01
Particulate Matter PM <sub>2.5</sub>	µg/m <sup>3</sup>	27.3	60	CPCB Manual Volume 1
Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	28.7	80	IS 5182(part 2)2001 (RA 2017)
Oxide of Nitrogen (NOx)	µg/m <sup>3</sup>	21.4	80	IS 5182(part 2)2006 (RA 2017)
Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	BDL(MDL<19.6)	100	MASA-411 3 <sup>rd</sup> Ed
Lead (Pb)	µg/m <sup>3</sup>	BDL(MDL<0.1)	1.0	MASA-822 3 <sup>rd</sup> Ed
Carbon Monoxide (CO)	mg/m <sup>3</sup>	0.26	02	IS 5182(part 10)1999 (RA 2014)
Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	BDL(MDL<0.02)	400	MASA-401 3 <sup>rd</sup> Ed
Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	BDL(MDL<0.2)	05	IS 5182(part 11)2006 (RA 2017)
Benzo (a) Pyrene (BaP)	ng/m <sup>3</sup>	BDL(MDL<1)	01	CPCB Manual Vol I 2011
Arsenic (As)	ng/m <sup>3</sup>	BDL(MDL<0.1)	06	MASA-302 3 <sup>rd</sup> Ed
Nickel (Ni)	ng/m <sup>3</sup>	BDL(MDL<7)	20	MASA-822 3 <sup>rd</sup> Ed

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.  
2) The above results relate only to the item tested.  
3) NAAQS-National Ambient Air Quality Standards  
4) BDL – Below Detectable Limit.

  
Analyzed by



  
Checked by

OK  
Sadekar  
24/11/19

BRANCH OFF : 310, Dempo Towers, EDC Palto, Panaji-403 101, Goa State, India ☎ : (0832) 2437048 / 2437164  
E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-306/307, Plot No. 61, Patel Estate, Res. Marg, Verem, Ato Old Belim Road, Bardez, Porvorim, Panaji-Goa-403 101,  
Goa State, India. ☎ : (0832) 2411322 / 2411323 • Email : sadetale@rediffmail.com • CIN No. U45209MH1998PTC-116379





# Sadekar Enviro Engineers Pvt. Ltd.

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.  
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar6@gmail.com

SAVE WATER

SAVE LIFE

Gazetted by Ministry of Environment, Forest & Climate Change, Govt Of India, S. O. 857 (E), Valid upto 25.02.2023 \* QCI-NABET Accredited EIA Consultancy

Lab. accredited by **NABL**, Valid up to 26.03.2020 \* Certified by ISO 9001:2015 & BS OHSAS 18001 : 2007

## ANALYSIS REPORT FOR AMBIENT AIR SURVEILLANCE

Report No	SEET/AA/GSL/2019/79	Date	30/11/2019
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23, MIDC, Taloja, Dist : Raigad		
Sample collected by	AA Representative	Duration of sampling	24 hrs
Reference	-----		
Date of sampling	20/11/2019	Sample Receipt Date	21/11/2019
Analysis Start Date	22/11/2019	Analysis Complete Date	25/11/2019

### AMBIENT AIR STATION

Location of H.V.S.	Near Admin Gate(EOU)	Lateral Distance	5.0 Mtr. From Admin Gate
Ambient Temperature	31.7°C	Receptor Distance	1.5 Mtr. From Ground Level

### POLLUTIONAL PARAMETERS

Parameters	Units	Result	NAAQS Limits	Method
Particulate Matter PM <sub>10</sub>	µg/m <sup>3</sup>	46.7	100	Instr.Manual version 2.01
Particulate Matter PM <sub>2.5</sub>	µg/m <sup>3</sup>	25.1	60	CPCB Manual Volume 1
Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	28.3	80	IS 5182(part 2)2001 (RA 2017)
Oxide of Nitrogen (NOx)	µg/m <sup>3</sup>	19.5	80	IS 5182(part 2)2006 (RA 2017)
Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	BDL(MDL<19.6)	100	MASA-411 3 <sup>rd</sup> Ed
Lead (Pb)	µg/m <sup>3</sup>	BDL(MDL<0.1)	1.0	MASA-822 3 <sup>rd</sup> Ed
Carbon Monoxide (CO)	mg/m <sup>3</sup>	0.18	02	IS 5182(part 10)1999 (RA 2014)
Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	BDL(MDL<0.02)	400	MASA-401 3 <sup>rd</sup> Ed
Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	BDL(MDL<0.2)	05	IS 5182(part 11)2006 (RA 2017)
Benzo (a) Pyrene (BaP)	ng/m <sup>3</sup>	BDL(MDL<1)	01	CPCB Manual Vol 1 2011
Arsenic (As)	ng/m <sup>3</sup>	BDL(MDL<0.1)	06	MASA-302 3 <sup>rd</sup> Ed
Nickel (Ni)	ng/m <sup>3</sup>	BDL(MDL<7)	20	MASA-822 3 <sup>rd</sup> Ed

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.  
2) The above results relate only to the item tested.  
3) NAAQS-National Ambient Air Quality Standards  
4) BDL – Below Detectable Limit.

Analyzed by

Checked by

OK -  
Checked  
Sms  
24/12/19

BRANCH OFF : 310, Dempo Towers, EDC Park, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164  
E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-306/307, Plot No. 61, Patel Estate, Res. Maga, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101  
Goa State, India. ☎ : (0832) 2437048 • E-mail : starla@goa@rediffmail.com • CIN No. U45209MH1996PTC-116379





# Sadekar Enviro Engineers Pvt. Ltd.

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.  
© : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

Gazetted by Ministry of Environment, Forest & Climate Change, Govt Of India, S. O. 857 (E), Valid upto 25.02.2023 \* QCI-NABET Accredited EIA Consultancy

Lab. accredited by **NABL**. Valid up to 26.03.2020 \* Certified by ISO 9001:2015 & BS OHSAS 18001 : 2007

## ANALYSIS REPORT FOR AMBIENT AIR SURVEILLANCE

Report No	SEET/AA/GSL/2019/80	Date	30/11/2019
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23, MIDC, Talaja, Dist : Raigad		
Sample collected by	AA Representative	Duration of sampling	24 hrs
Reference	-----		
Date of sampling	20/11/2019	Sample Receipt Date	21/11/2019
Analysis Start Date	22/11/2019	Analysis Complete Date	25/11/2019

### AMBIENT AIR STATION

Location of H.V.S.	Near Material Gate No. 6 (EOU)	Lateral Distance	5.0 Mtr. From Material Gate
Ambient Temperature	31.7°C	Receptor Distance	1.5 Mtr. From Ground Level

### POLLUTIONAL PARAMETERS

Parameters	Units	Result	NAAQS Limits	Method
Particulate Matter PM <sub>10</sub>	µg/m <sup>3</sup>	57.2	100	Instr.Manual version 2.01
Particulate Matter PM <sub>2.5</sub>	µg/m <sup>3</sup>	40.1	60	CPCB Manual Volume 1
Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	31.6	80	IS 5182(part 2)2001 (RA 2017)
Oxide of Nitrogen (NOx)	µg/m <sup>3</sup>	29.3	80	IS 5182(part 2)2006 (RA 2017)
Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	BDL(MDL<19.6)	100	MASA-411 3 <sup>rd</sup> Ed
Lead (Pb)	µg/m <sup>3</sup>	BDL(MDL<0.1)	1.0	MASA-822 3 <sup>rd</sup> Ed
Carbon Monoxide (CO)	mg/m <sup>3</sup>	0.30	02	IS 5182(part 10)1999 (RA 2014)
Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	BDL(MDL<0.02)	400	MASA-401 3 <sup>rd</sup> Ed
Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	BDL(MDL<0.2)	05	IS 5182(part 11)2006 (RA 2017)
Benzo (a) Pyrene (BaP)	ng/m <sup>3</sup>	BDL(MDL<1)	01	CPCB Manual Vol 1 2011
Arsenic (As)	ng/m <sup>3</sup>	BDL(MDL<0.1)	06	MASA-302 3 <sup>rd</sup> Ed
Nickel (Ni)	ng/m <sup>3</sup>	BDL(MDL<7)	20	MASA-822 3 <sup>rd</sup> Ed

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.  
2) The above results relate only to the item tested.  
3) NAAQS-National Ambient Air Quality Standards  
4) BDL – Below Detectable Limit.

*qjm*  
Analyzed by


*[Signature]*  
Checked by

*OK -  
che creat.  
Smt  
24/12/19*

BRANCH OFF. : 310, Dempo Towers, E.C.C. Road, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164  
E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-306/307, Plot No. 12, Estate - Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa 403 101, Goa State, India ☎ : (0832) 41381133 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116275





# Sadekar Enviro Engineers Pvt. Ltd.

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.  
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

Gazetted by Ministry of Environment, Forest & Climate Change, Govt Of India. S. O. 857 (E), Valid upto 25.02.2023 \* QCI-NABET Accredited EIA Consultancy

Lab. accredited by **NABL**. Valid up to 26.03.2020 \* Certified by ISO 9001:2015 & BS OHSAS 18001 : 2007

## ANALYSIS REPORT FOR AMBIENT AIR SURVEILLANCE

Report No	SEET/AA/GSL/2019/92	Date	30/11/2019
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23, MIDC, Taloja, Dist : Raigad		
Sample collected by	AA Representative	Duration of sampling	24 hrs
Reference	-----		
Date of sampling	21/11/2019	Sample Receipt Date	22/11/2019
Analysis Start Date	23/11/2019	Analysis Complete Date	26/11/2019

### AMBIENT AIR STATION

Location of H.V.S.	Near MED Ware House (MED)	Lateral Distance	5.0 Mtr. From MED Ware House
Ambient Temperature	32.2 °C	Receptor Distance	1.5 Mtr. From Ground Level

### POLLUTIONAL PARAMETERS

Parameters	Units	Result	NAAQS Limits	Method
Particulate Matter PM <sub>10</sub>	µg/m <sup>3</sup>	44.2	100	Instr. Manual version 2.01
Particulate Matter PM <sub>2.5</sub>	µg/m <sup>3</sup>	29.3	60	CPCB Manual Volume 1
Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	28.1	80	IS 5182(part 2)2001 (RA 2017)
Oxide of Nitrogen (NOx)	µg/m <sup>3</sup>	23.5	80	IS 5182(part 2)2006 (RA 2017)
Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	BDL(MDL<19.6)	100	MASA-411 3 <sup>rd</sup> Ed
Lead (Pb)	µg/m <sup>3</sup>	BDL(MDL<0.1)	1.0	MASA-822 3 <sup>rd</sup> Ed
Carbon Monoxide (CO)	mg/m <sup>3</sup>	0.17	02	IS 5182(part 10)1999 (RA 2014)
Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	BDL(MDL<0.02)	400	MASA-401 3 <sup>rd</sup> Ed
Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	BDL(MDL<0.2)	05	IS 5182(part 11)2006 (RA 2017)
Benzo (a) Pyrene (BaP)	ng/m <sup>3</sup>	BDL(MDL<1)	01	CPCB Manual Vol 1 2011
Arsenic (As)	ng/m <sup>3</sup>	BDL(MDL<0.1)	06	MASA-302 3 <sup>rd</sup> Ed
Nickel (Ni)	ng/m <sup>3</sup>	BDL(MDL<7)	20	MASA-822 3 <sup>rd</sup> Ed

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.

2) The above results relate only to the item tested.

3) NAAQS-National Ambient Air Quality Standards

4) BDL - Below Detectable Limit.


Analyzed by

Checked by

OK  
checked  
Smt  
24/12/19.

BRANCH OFF : 310, Grupo Towers, EDI, Patto, Panaji-403 001, Goa State, India. ☎ : (0832) 2437048 / 2437164  
E-mail : sadekar@enviro@ediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-306/307, Phase-61, Patel Estate, Reis Magos, Verem, Alto, Old Setim Road, Bardez, Porvorim. Panaji-403 101, Goa State, India. ☎ : (0832) 2411322 / 23 • E-mail : starlabgoa@ediffmail.com • CIN No. U45205GJ199909012116179



# Sadekar Enviro Engineers Pvt. Ltd.

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.  
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER  
SAVE LIFE

Gazetted by Ministry of Environment, Forest & Climate Change, Govt Of India, S. O. 857 (E). Valid upto 25.02.2023 \* QCI-NABET Accredited EIA Consultancy

Lab. accredited by **NABL**, Valid up to 26.03.2020 ★ Certified by ISO 9001:2015 & BS OHSAS 18001 : 2007

## ANALYSIS REPORT FOR WORK PLACE SURVEILLANCE

Report No	SEET/AA/GSL/2019/98	Date	30/11/2019
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23, MIDC, Talaja, Dist : Raigad		
Sample collected by	AA Representative	Reference	-----
Date of sampling	21/11/2019	Sample Receipt Date	22/11/2019
Analysis Start Date	23/11/2019	Analysis Complete Date	25/11/2019

### WORK PLACE STATION

Location of Sampling | E.T.P. Area Outside (V-23)

### POLLUTIONAL PARAMETERS

Parameters	Units	Result	Limits	Method
*HCl	mg/m <sup>3</sup>	0.32	7	OSHA method ID-174-SG

- NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.  
2) The above results relate only to the item tested.  
3) The above parameter is not included in NABL scope.  
4) \*The Limit is as per Factory Act 1948 (Schedule II)

*dm*  
Analyzed by

*[Signature]*  
Checked by

*OK*  
*Checked*  
*Sudh*  
*24/12/19*

BRANCH OFF. : 210, Dempo Towers, EDC Palto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164  
E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-305/307, Plot No. 61, Patel Estate, Reis Magns, Velim, Wadda Betim Road, Bardez, Porvorim, Panaji-Goa-403 101,  
Goa State, India. ☎ : (0832) 2411322 / 23 • E-mail : lab@sadekarenviro.com • CIN No. U45209MH1998PTC-116379





# Sadekar Enviro Engineers Pvt. Ltd.

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.  
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

Gazetted by Ministry of Environment, Forest & Climate Change, Govt Of India, S. O. 857 (E), Valid upto 25.02.2023 \* QCI-NABET Accredited EIA Consultancy

Lab. accredited by **NABL**, Valid up to 26.03.2020 ★ Certified by ISO 9001:2015 & BS OHSAS 18001 : 2007

## ANALYSIS REPORT FOR WORK PLACE SURVEILLANCE

Report No	SEET/AA/GSL/2019/75	Date	30/11/2019
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23, MIDC, Taloja, Dist : Raigad		
Sample collected by	AA Representative	Reference	-----
Date of sampling	19/11/2019	Sample Receipt Date	20/11/2019
Analysis Start Date	21/11/2019	Analysis Complete Date	22/11/2019

### WORK PLACE STATION


Location of Sampling Dryer Ground Floor (V-23)

### POLLUTIONAL PARAMETERS

Parameters	Units	Result	Limits	Method
*NH <sub>3</sub>	mg/m <sup>3</sup>	B.D.L	25	Method 401, Methods of Air sampling and analysis 3 <sup>rd</sup> Edition

- NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.  
2) The above results relate only to the item tested.  
3) This parameter is not included in NABL scope.  
4) BDL – Below Detectable Limit.  
5) \*The Limit is as per Factory Act 1948 (Schedule II)

*Jam*  
Analyzed by



*Sadekar*  
Checked by

*OK -  
checked  
Surya  
20/12/19*

BRANCH OFF. : 310, Dempo Towers, EDC Patto, Pana, 401 001, Goa State, India ☎ : (0832) 2437048 / 2437164  
E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-306/307, Plot No. 61, Patel Estate, Res. Mod. S. Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101,  
Goa State, India. ☎ : (0832) 2411322 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379



# Sadekar Enviro Engineers Pvt. Ltd.

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.  
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER  
SAVE LIFE

Gazetted by Ministry of Environment, Forest & Climate Change, Govt Of India, S. O. 857 (E), Valid upto 25.02.2023 \* OCI-NABET Accredited EIA Consultancy

Lab. accredited by **NABL**, Valid up to 26.03.2020 ★ Certified by ISO 9001:2015 & BS OHSAS 18001 : 2007

## ANALYSIS REPORT FOR WORK PLACE SURVEILLANCE

Report No	SEET/AA/GSL/2019/125	Date	03/12/2019
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23, MIDC, Taloja, Dist : Raigad		
Sample collected by	AA Representative	Reference	-----
Date of sampling	27/11/2019	Sample Receipt Date	28/11/2019
Analysis Start Date	29/11/2019	Analysis Complete Date	30/11/2019

### WORK PLACE STATION

Location of Sampling | Ethoxylation Plant Ground Floor (V-23)

### POLLUTIONAL PARAMETERS

Parameters	Units	Result	Limits	Method
*CH <sub>3</sub> COOH	mg/m <sup>3</sup>	B.D.L	25	OSHA ID-1865G

- NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.  
2) The above results relate only to the item tested.  
3) The above parameter is not included in NABL scope.  
4) BDL – Below Detectable Limit  
5) \*The Limit is as per Factory Act 1948 (Schedule II)

*Cham*  
Analyzed by

*[Signature]*  
Checked by

*OK*  
*Checked*  
*Sury*  
*24/12/19*

BRANCH OFF. : 310, Dempo Towers, EDC Park, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164  
E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-306/307, Plot No. 61, Para Estate, Reis Magos, Velam, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101  
Goa State, India. ☎ : (0832) 2437048 / 2437164 • E-mail : barlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-11637





# Sadekar Enviro Engineers Pvt. Ltd.

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.  
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SHW. JUREER  
SIVE LIFE

Gazetted by Ministry of Environment, Forest & Climate Change, Govt Of India, S. O. 857 (E), Valid upto 25.02.2023 \* QCI-NABET Accredited EIA Consultancy

Lab. accredited by **NABL**, Valid up to 26.03.2020 ★ Certified by ISO 9001:2015 & BS OHSAS 18001 : 2007

## ANALYSIS REPORT FOR WORK PLACE SURVEILLANCE

Report No	SEET/AA/GSL/2019/123	Date	03/12/2019
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23, MIDC, Taloja, Dist : Raigad		
Sample collected by	AA Representative	Reference	-----
Date of sampling	26/11/2019	Sample Receipt Date	27/11/2019
Analysis Start Date	28/11/2019	Analysis Complete Date	30/11/2019

### WORK PLACE STATION

Location of Sampling | Inside MED Lab (MED)

### POLLUTIONAL PARAMETERS

Parameters	Units	Result	Limits	Method
*Sulphuric Acid	mg/m <sup>3</sup>	B.D.L	1	OSHA method ID-165-SG
*NH <sub>3</sub>	mg/m <sup>3</sup>	B.D.L	25	Method 401, Methods of Air sampling and analysis 3 <sup>rd</sup> Edition
*HCl	mg/m <sup>3</sup>	0.11	7	OSHA method ID-174-SG
*Nitric Acid	ppm	B.D.L	2	OSHA method
*IPA	ppm	B.D.L	400	OSHA VI-6
*Acetone	ppm	B.D.L	750	OSHA method ID-69
*Chloroform	ppm	B.D.L	10	OSHA method ID-05

- NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.  
2) The above results relate only to the item tested.  
3) The above parameter is not included in NABL scope.  
4) BDL -- Below Detectable Limit  
5) \*The Limit is as per Factory Act 1948 (Schedule II)

Analyzed by

Checked by

OK -  
checked.  
Sury  
24/12/19

BRANCH OFF : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164  
E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Panaji-Goa-403 101  
Goa State, India. ☎ : (0832) 2411322 / 23 • E-mail : starlabgoa@rediffmail.com • LIN No. J452092\*H1998PTC-116379



# Sadekar Enviro Engineers Pvt. Ltd.

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.  
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

Gazetted by Ministry of Environment, Forest & Climate Change, Govt Of India, S. O. 857 (E), Valid upto 25.02.2023 \* QCI-NABET Accredited EIA Consultancy

Lab, accredited by **NABL**, Valid up to 26.03.2020 ★ Certified by ISO 9001:2015 & BS OHSAS 18001 : 2007

## ANALYSIS REPORT FOR WORK PLACE SURVEILLANCE

Report No	SEET/AA/GSL/2019/122	Date	03/12/2019
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23, MIDC, Taloja, Dist : Raigad		
Sample collected by	AA Representative	Reference	-----
Date of sampling	26/11/2019	Sample Receipt Date	27/11/2019
Analysis Start Date	28/11/2019	Analysis Complete Date	30/11/2019

### WORK PLACE STATION

Location of Sampling | Formulation 2<sup>nd</sup> Floor (MED)

### POLLUTIONAL PARAMETERS

Parameters	Units	Result	Limits	Method
*H <sub>2</sub> O <sub>2</sub>	mg/m <sup>3</sup>	B.D.L	1.5	OSHA VI-6
*O <sub>3</sub>	ppm	B.D.L	0.1	OSHA ID-214

- NOTE:** 1) The above results relate only to the condition prevailing at the time of sampling.  
2) The above results relate only to the item tested.  
3) The above parameter is not included in NABL scope.  
4) BDL – Below Detectable Limit  
5) \*The Limit is as per Factory Act 1948 (Schedule II)

*Jan*  
Analyzed by

*[Signature]*  
Checked by

*OK - checked*  
*[Signature]*  
24/12/19

BRANCH OFF : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164  
E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Botim Road, Bardez, Porvorim, Panaji-Goa-403 101,  
Goa State, India ☎ : (0832) 2411322 / 23 • E-mail : starlabgoa@rediffmail.com • CIN. No. U45209MH1998PTC-116379





# Sadekar Enviro Engineers Pvt. Ltd.

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India  
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

Gazetted by Ministry of Environment, Forest & Climate Change, Govt Of India, S. O. 857 (E), Valid upto 25.02.2023 \* QCI-NABET Accredited EIA Consultancy

Lab. accredited by **NABL**, Valid up to 26.03.2020 ★ Certified by ISO 9001:2015 & BS OHSAS 18001 : 2007

## ANALYSIS REPORT FOR WORK PLACE SURVEILLANCE

Report No	SEET/AA/GSL/2019/124	Date	03/12/2019
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23, MIDC, Taloja, Dist : Raigad		
Sample collected by	AA Representative	Reference	----
Date of sampling	27/11/2019	Sample Receipt Date	28/11/2019
Analysis Start Date	29/11/2019	Analysis Complete Date	30/11/2019

### WORK PLACE STATION

Location of Sampling | Sulphonation (MED)

### POLLUTIONAL PARAMETERS

Parameters	Units	Result	Limits	Method
*O <sub>3</sub>	ppm	B.D.L	0.1	OSHA ID-214
*NaOH	mg/m <sup>3</sup>	B.D.L	2.0	OSHA Method

- NOTE:1) The above results relate only to the condition prevailing at the time of sampling.  
2) The above results relate only to the item tested.  
3) The above parameter is not included in NABL scope.  
4) BDL – Below Detectable Limit  
5) \*The Limit is as per Factory Act 1948 (Schedule II)

*Qm*  
Analyzed by

*[Signature]*  
Checked by

*OK*  
*checked*  
*Suri*  
*24/12/19*

BRANCH OFF. : 310, Dempo Towers, EDC Palto, Panaji-403 001 Goa State, India ☎ (0832) 2437048 / 2437164  
E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-306/307, Pict No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101,  
Goa State, India. ☎ (0832) 2411322 / 23 • E-mail : start@rediffmail.com • CIN No. U45239MH-998PTC-116379



# Sadekar Enviro Engineers Pvt. Ltd.

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.  
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER  
SAVE LIFE

Gazetted by Ministry of Environment, Forest & Climate Change, Govt Of India, S. O. 857 (E), Valid upto 25.02.2023 \* QCI-NABET Accredited EIA Consultancy

Lab. accredited by **NABL**. Valid up to 26.03.2020 ★ Certified by ISO 9001:2015 & BS OHSAS 18001 : 2007

## ANALYSIS REPORT FOR WORK PLACE SURVEILLANCE

Report No	SEET/AA/GSL/2019/120	Date	03/12/2019
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23, MIDC, Taloja, Dist : Raigad		
Sample collected by	AA Representative	Reference	----
Date of sampling	26/11/2019	Sample Receipt Date	27/11/2019
Analysis Start Date	28/11/2019	Analysis Complete Date	30/11/2019

### WORK PLACE STATION

Location of Sampling | F-2 (EOU)

### POLLUTIONAL PARAMETERS

Parameters	Units	Result	Limits	Method
*CH <sub>3</sub> COOH	mg/m <sup>3</sup>	B.D.L	25	OSHA ID-1865G
*H <sub>2</sub> O <sub>2</sub>	mg/m <sup>3</sup>	B.D.L	1.5	OSHA VI-6

- NOTE:** 1) The above results relate only to the condition prevailing at the time of sampling.  
2) The above results relate only to the item tested.  
3) The above parameter is not included in NABL scope.  
4) BDL – Below Detectable Limit  
5) \*The Limit is as per Factory Act 1948 (Schedule II)

*[Signature]*  
Analyzed by


*[Signature]*  
Checked by

*OK - checked*  
*[Signature]*  
24/12/19

BRANCH OFF. : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164  
E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-306/307, Plot No. 61, Patel Estate, Rps Mills, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101,  
Goa State, India. ☎ : (0832) 2411327 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379





# Sadekar Enviro Engineers Pvt. Ltd.

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.  
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER  
SAVE LIFE

Gazetted by Ministry of Environment, Forest & Climate Change, Govt Of India, S. O. 857 (E), Valid upto 25.02.2023 • QCI-NABET Accredited EIA Consultancy

Lab. accredited by **NABL**, Valid up to 26.03.2020 ★ Certified by ISO 9001:2015 & BS OHSAS 18001 : 2007

## ANALYSIS REPORT FOR WORK PLACE SURVEILLANCE

Report No	SEET/AA/GSL/2019/91	Date	30/11/2019
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23, MIDC, Talaja, Dist : Raigad		
Sample collected by	AA Representative	Reference	-----
Date of sampling	20/11/2019	Sample Receipt Date	21/11/2019
Analysis Start Date	22/11/2019	Analysis Complete Date	25/11/2019

### WORK PLACE STATION

Location of Sampling | Dryer Second Floor (EOU)

### POLLUTIONAL PARAMETERS

Parameters	Units	Result	Limits	Method
*NH <sub>3</sub>	mg/m <sup>3</sup>	B.D.L	25	Method 401, Methods of Air sampling and analysis 3 <sup>rd</sup> Edition

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.

2) The above results relate only to the item tested.

3) \*This parameter is not included in NABL scope.

4) BDL – Below Detectable Limit.

5) The Limit is as per Factory Act 1948 (Schedule II)

*[Signature]*  
Analyzed by

*[Signature]*  
Checked by

OK  
Checked  
Gus /  
24/12/19

BRANCH OFF. : 310, Dempo Towers, EDC Parto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164  
E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Belim Road, Bardez, Porvorim, Panaji-Goa-403 101  
Goa State, India ☎ : (0832) 2411322 / 23 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-11-179



# Sadekar Enviro Engineers Pvt. Ltd.

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.  
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

Gazetted by Ministry of Environment, Forest & Climate Change, Govt Of India, S. O. 857 (E), Valid upto 25.02.2023 \* QCI-NABET Accredited EIA Consultancy

Lab. accredited by **NABL**, Valid up to 26.03.2020 ★ Certified by ISO 9001:2015 & BS OHSAS 18001 : 2007

## ANALYSIS REPORT FOR WORK PLACE SURVEILLANCE

Report No	SEET/AA/GSL/2019/116	Date	03/12/2019
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23, MIDC, Taloja, Dist : Raigad		
Sample collected by	AA Representative	Reference	-----
Date of sampling	25/11/2019	Sample Receipt Date	26/11/2019
Analysis Start Date	27/11/2019	Analysis Complete Date	28/11/2019

### WORK PLACE STATION

Location of Sampling Sulphonation 2<sup>nd</sup> Floor (EQU)

### POLLUTIONAL PARAMETERS

Parameters	Units	Result	Limits	Method
*H <sub>2</sub> O <sub>2</sub>	mg/m <sup>3</sup>	B.D.L	1.5	OSHA VI-6

- NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.  
2) The above results relate only to the item tested.  
3) The above parameter is not included in NABL scope.  
4) BDL – Below Detectable Limit  
5) \*The Limit is as per Factory Act 1948 (Schedule II)

*clm*  
Analyzed by

*[Signature]*  
Checked by

*OK -*  
*Checked*  
*Suroj*  
*24/12/19*

BRANCH OFF : 310, Dempo Towers, EDC Park, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164  
E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-306/307, Plot No. 31, Patel Estate, Reis Magos, Verem, Alto Old Belim Road, Bardez, Porvorim, Panaji-Goa-403 101  
Goa State, India ☎ : (0832) 2437122 / 23 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1994PLC116379