

28.10.2025

The Regional Officer,
Maharashtra Pollution Control Board
Raigad Bhavan, 7th Floor, Sector-11,
CBD Belapur, Navi Mumbai

Dear Sir,

Subject: Compliance report of Environment Clearance

Ref : SEIAA Letter No.: SEAC-2212/CR-494/TC-2 dated 08.04.2015 and
Subsequent amendment in Environment clearance vide letter no. SEIAA-
2016/CR 05/TC 3 dated 19.05.2016 and SEIAA letter no.: SEAC-
2010/CR.448/TC.2

Please find attached half yearly compliance report for the period from April 2025 to September 2025, in compliance of Condition No.26 and 29 of our Environment Clearance letter dated 08.04.2015 and condition no.23 of our Environment Clearance letter dated 03.12.2010.

Kindly acknowledge receipt of this letter with its enclosure.

Thanking you,
Cordially yours,

For Galaxy Surfactants Limited



Shamsundar Gawade
General Manager-Corporate Governance



Encl: As above

✓ **CC :** 1. Ministry of Environment and Forest, Climate Change
Regional Office (WCZ), Ground Floor,
East Wing, New Secretariat Building, Civil Line, Nagpur-440001

Factory Address:
Plot No. V-23 MIDC, Talaja
& Plot No. 1, Village: Chai
Near Talaja Ind. Area,
Tal : Panvel, Dist. Raigad.
Ph: +91-22-39215300 / 39545100
Fax: +91-22-27411701 / 27411702

Regd. Office:
C-49/2, TTC Industrial Area, Pawne,
Navi Mumbai – 400 703, India.
CIN No. U39877MH1986PLC039877
Ph : +91-22-65134444 / 27616666
Fax : +91-22-27615883 / 27615886
E-mail : galaxy@galaxysurfactants.com
Website : www.galaxysurfactants.com

COMPLIANCE REPORT OF ENVIRONMENTAL CLEARANCE
(Period: April 2025 – September 2025)

Project : Galaxy Surfactants Ltd., Project of Manufacturing of Surfactants and Specialty Chemicals at Plot No.V-23, MIDC Taloja and Plot No. 1, Village Chal, Tal. Panvel, District Raigad by Modernisation with no increment in pollution load.

Reference: SEIAA Letter No.: SEAC-2212/CR-494/TC-2 dated 08.04.2015 and subsequent amendment in Environment clearance vide letter no.SEIAA-2016/CR 05/TC 3 dated 19.05.2016 and SEIAA Letter No.: SEAC-2010/CR-448/TC-2 dated 03.10.2010.

Products :

Sr. No.	Name of the product	Total Production Quantity (MT/Month)
1	Anionic surfactants (on 100% AM basis) such as Fatty Alcohol Sulphate, Fatty Alcohol ether sulphates etc.	7140
2	Ethylene Oxide Condensate	5000
3	Cationic Surfactants (on 100% AM basis) such as Betains, Quaternary Ammonium Salts etc.	1520
4	Sulphosuccinates	60
5	Surfactant blends (on 100% AM basis) such as Syndet Soap-Granules/ Noodles, Sparkle series etc.	1320
6	Fatty Acid Esters, Fatty alkanol amides and esterquats.	1700
7	Conc. Sulphuric Acid (By Product)	132
8	Sodium Sulphate 20-25 % solution, Solids 37.5 MT/ M (By Product)	180
	Total	17052

Status of compliance of the Conditions stipulated in our Environment Clearance dated 08.04.2015 subsequently amended vide letter dated 19.05.2016 and Environment Clearance dated 03.12.2010.

Sr. No.	Conditions	Compliance Status
1	The Environment Clearance is issued subject to condition that PP shall be responsible for end disposal of Hazardous Waste to authorized dealer (b) PP to abide by the submitted specific effluent characteristics after treatment.	We have disposed of Hazardous Waste to Authorized dealers as per conditions mentioned in Consent to Operate and Environment Clearance. We will abide by the specific effluent characteristics after treatment.
2	No additional land shall be used / acquired for any activity of the project without obtaining proper permission.	No additional land has been acquired and project is completed within the existing plot.

8 ✓

3	For controlling fugitive natural dust, regular sprinkling of water and wind shields at appropriate distances in vulnerable areas of Plant shall be ensured.	High speed rapid roller door or PVC strip doors are provided in warehouse and manufacturing area. Wherever necessary windows are provided to prevent inflow of dust from outdoors. We regularly swept the internal roads in factory to control dust formed by movement of vehicles. We have also planted trees in the factory premises and also provided sprinkler systems in green belt area and garden developed inside the factory premises.
4	Regular monitoring of the air quality, including SPM and SO2 levels both in work zone and ambient air shall be carried out in and around the power plant and records shall be maintained. The location of monitoring stations and frequency of monitoring shall be decided in consultation with Maharashtra Pollution Control Board (MPCB) and submit report accordingly to MPCB.	We have Complied with ambient air monitoring as per the MPCB Consent to Operate and prescribed in the EC. Please refer enclosed Annexure A for latest work zone and ambient air quality report.
5	Necessary arrangement shall be made to adequate safety and ventilation arrangement in furnace area.	We have provided adequate safety and ventilation arrangement in furnace area.
6	Proper Housekeeping programs shall be implemented.	We are maintaining proper housekeeping within the premises.
7	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of the operation and shall not be restarted until the desired efficiency has been achieve.	In case of failure of pollution control Equipment, the complete unit is being shut down and resumed only after the said equipment is rectified. We assure that the same practice will be followed in future also.
8	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollution from DG Set (If applicable).	Stacks of adequate height based on DG set capacity has been provided.
9	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.	Rainwater collected and reused in process. No ground water recharged through harvesting.
10	Arrangement shall be made that effluent and storm water does not get mixed.	Separate arrangements are made for effluent and storm water.



11	Periodic Monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.	Our unit is ZLD and hence not discharging any effluent to CETP. Entire effluent is reused by recycling through RO, MBR, MEE. We are not using any ground water in our process.
12	Leq of Noise Level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.	Noise level maintained as per standards and monitored on regular basis. The operating personnel use protective equipment like earmuff and earplug wherever required.
13	The overall noise levels in and around the plant shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules 1989.	The overall noise levels in and around the plant kept well within the standards. Proper noise barriers, acoustic enclosures are provided on noise generating equipment like DG Set, blowers etc. to minimize noise.
14	Green belt shall be developed and maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO / Agriculture Dept.	Green belt area of 4080 sq. mtrs. Developed. Total 1296 numbers of trees and shrubs are planted around the plant periphery.
15	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.	Adequate safety measures taken within plant boundary. Leak detection devices installed at strategic places.
16	Occupational health surveillance of the workers shall be done on a regular	We have dedicated OHC and full time Factory Medical Officer along with round the clock male nurse to take care of safety and health of



	basis and the record shall be maintained as per Factories Act.	the workers. Half yearly health checkup of workers being done periodically (last health checkup done during the period from 31 ST March 2025 to 5 th April, 2025).
17	The Company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.	Fire prevention and life safety measures are installed in the premises. Fire alarm and sprinklers, Fire Extinguishers, Fire Hydrant System installed and maintained. We are conducting periodical inspection of all firefighting system.
18	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from MPCB shall be obtained for collections / treatment / storage / disposal of hazardous waste.	We have complied with the rules and regulations with regard to handling and disposal of Hazardous Wastes in accordance with the rules and MPCB has authorized us for treatment/storage/disposal of Hazardous Waste to authorized vendors. We have obtained membership of Mumbai Waste Management Limited (MWML) and authorization from MPCB for the disposal of Wastes / Residue Containing Oil (1 MT/A). Empty barrels/containers / liner contaminated with Hazardous chemicals /waste (24 MT/A), Flue Gas Cleaning Residue (98.4 MT/A), Chemical Sludge from waste water treatment (108 MT/A) by incineration and Spent Catalyst and molecular sieves (6 MT/A) by landfill. Used or Spent oil (6 MT/A), Contaminated Cotton ragas or other cleaning materials 1MT/A will be given for Recycle/incineration to MWML/ MPCB Authorized Vendor. MEE solid waste 180MT/A by landfill. We maintain the record for hazardous waste generation in form 3 & disposal in Form 10 and submit the Annual return in Form 4 to MPCB and having dedicated storage area for Hazardous Waste. By products transferred to Hazardous Waste viz. Sulphuric Acid & Sodium Sulphate, are being disposed off as per the Consent to operate and as per the Hazardous & Other Wastes (M&TM) Rules 2016
19	The Company shall undertake following Waste Minimization Measures : • Metering of quantities of active ingredients to minimize waste. • Reuse of by-products from the process as raw materials or as raw material substitutes in other process. • Maximizing recoveries.	Use of level transmitters in storage tank and adjustment vessel to avoid spillages. Automated transfer of most of intermediate, raw materials and finished goods used for avoiding spillages. We have implemented level switch (high level protection) for filling of tankers, containers of finished goods to eliminate spillages. It will eliminate environment incidence and reduce load on ETP and Hazardous Waste. By-products are reused into process to the extent possible.

	• Use of automated transfer system to minimize spillage.																																																					
20	Regular mock drills for the on-site emergency management plan shall be carried out Implementation of changes / improvement required, if any, in the on-site management plan shall be ensured.	On-site emergency management plan prepared. Total evacuation mock drill conducted on 30.05.2025.																																																				
21	A Separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	Environment management cell is set up with total 12 members of various Departments. Meeting held on 25.06.2025 to review the environment related compliances. <table><tr><th>Sr. No.</th><th>Names</th><th>Dept</th><th>Designation</th></tr><tr><td>1</td><td>Vinod Mante</td><td>Conversion</td><td>Chairman</td></tr><tr><td>2</td><td>Hemant Patil</td><td>SHE</td><td>Member</td></tr><tr><td>3</td><td>Suraj Rathi</td><td>SHE</td><td>Member</td></tr><tr><td>4</td><td>Sham/Swapnil Kulkarni</td><td>CG</td><td>Member</td></tr><tr><td>5</td><td>Pravin Bhor</td><td>SIC, Conversion</td><td>Member</td></tr><tr><td>6</td><td>Amar Chavan</td><td>SIC, Conversion</td><td>Member</td></tr><tr><td>7</td><td>Praful A</td><td>Mech. Maintenance</td><td>Member</td></tr><tr><td>8</td><td>Kunal Waghmare</td><td>Electrical Maintenance</td><td>Member</td></tr><tr><td>9</td><td>Narendra Dali</td><td>Stores</td><td>Member</td></tr><tr><td>10</td><td>Nilesh Kavankar</td><td>Instrument Maintenance</td><td>Member</td></tr><tr><td>11</td><td>Omkar Patil</td><td>Civil Maintenance</td><td>Member</td></tr><tr><td>12</td><td>Pooja Desai</td><td>NPT</td><td>Member</td></tr></table>	Sr. No.	Names	Dept	Designation	1	Vinod Mante	Conversion	Chairman	2	Hemant Patil	SHE	Member	3	Suraj Rathi	SHE	Member	4	Sham/Swapnil Kulkarni	CG	Member	5	Pravin Bhor	SIC, Conversion	Member	6	Amar Chavan	SIC, Conversion	Member	7	Praful A	Mech. Maintenance	Member	8	Kunal Waghmare	Electrical Maintenance	Member	9	Narendra Dali	Stores	Member	10	Nilesh Kavankar	Instrument Maintenance	Member	11	Omkar Patil	Civil Maintenance	Member	12	Pooja Desai	NPT	Member
Sr. No.	Names	Dept	Designation																																																			
1	Vinod Mante	Conversion	Chairman																																																			
2	Hemant Patil	SHE	Member																																																			
3	Suraj Rathi	SHE	Member																																																			
4	Sham/Swapnil Kulkarni	CG	Member																																																			
5	Pravin Bhor	SIC, Conversion	Member																																																			
6	Amar Chavan	SIC, Conversion	Member																																																			
7	Praful A	Mech. Maintenance	Member																																																			
8	Kunal Waghmare	Electrical Maintenance	Member																																																			
9	Narendra Dali	Stores	Member																																																			
10	Nilesh Kavankar	Instrument Maintenance	Member																																																			
11	Omkar Patil	Civil Maintenance	Member																																																			
12	Pooja Desai	NPT	Member																																																			
22	Transportation of ash will be through closed containers and all measure should be taken to prevent spilling of ash.	We have ensured transportation of ash in closed containers and prevented spilling of ash. We have started use of PNG boilers for plant operations. We have discontinued the use of Coal Boiler as per the instruction from the MPCB towards the implementation of action plan of CEPI area. The company has now created facility for briquette Boiler as per Consent to Establish.																																																				
23	Separate silos will be provided for collecting and storing bottom ash and fly ash.	We have dedicated area for collecting bottom ash from furnace & we collect the fly ash from Mechanical Dust Collector (MDC) & bag filter in drums & then shifted to dedicated area. This area is completely isolated & covered from all sides to avoid any interference.																																																				
24	Separate funds shall be allocated for implementation of environmental protection measures / EMP along with item-wise breaks- up. These	During this period, we incurred expenditure of Rs. 3.00 lacs (approx.) for details given in the table below <table><tr><th>Sr. No.</th><th>Description of Project</th><th>Investment Cost in INR</th></tr><tr><td>1</td><td>ETP Maintenance</td><td>3,00,000</td></tr></table>	Sr. No.	Description of Project	Investment Cost in INR	1	ETP Maintenance	3,00,000																																														
Sr. No.	Description of Project	Investment Cost in INR																																																				
1	ETP Maintenance	3,00,000																																																				

81

	costs shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year wise expenditure should be reported to the MPCB and this department.	TOTAL	3,00,000
25	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at website at http://ec.maharashtra.gov.in .	Advertisement was given in two local newspapers on obtaining EC and also uploaded copy of EC on company website.	
26	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard and soft copies to the MPCB and this department on 1 st June and 1 st December of each calendar year.	We have submitted half yearly EC compliance report to MPCB.	
27	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	EC copy published on website of the Company.	

27

28	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective zonal office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Status of compliance of the stipulated EC conditions, including results of monitored data will be uploaded on our website and will be updated regularly. The Criteria Pollutant Levels are displayed on the main gate of the Company on newly installed electronic digital display. Please refer enclosed Annexure B for latest Stack Emission reports.
29	The project proponent shall also submit six monthly report on the status of compliance of the stipulated EC Conditions including results of monitored data (both in hard copies as well as by email) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	We will be submitting this six-monthly report on the status of compliance of the stipulated EC Conditions including results of monitored data to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
30	The environmental statement for each financial year ending 31st March in Form – V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the Company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by email.	Environment statement for the year 2024-2025 submitted online with the MPCB website on 30.09.2025. Copy of Environment statement will be displayed on the Company website along with status of EC Conditions and will also be sent to Regional Officers of MoEF by email.

SV

Status of compliance of conditions stipulated in our earlier Environment Clearance dated 03.12.2010.

Sr.No.	Conditions	Compliance Status
1	"Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environmental department before start of any construction work at the site.	Consent to Establish was obtained and copies of the same were submitted in earlier EC compliance report.
2	No land development / construction work preliminary or otherwise relating to the project shall taken up without obtaining due clearance from respective authorities.	No additional land has been acquired and project is completed within the existing plot.
3 to 27	Conditions from Environment Clearance dated 03.12.2010 are also covered in above condition nos.2-4, 9-30 of Environment Clearance dated 08.04.2015.	Please refer remarks in status of compliance of conditions in Environment Clearance dated 08.04.2015.
28	The environmental clearance is being issued without prejudice to the court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision of the Hon'ble Court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him.	Noted

For Galaxy Surfactants Limited



Shamsundar Gawade
General Manager-Corporate Governance



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC Industrial Area, Thane - 400 604, Maharashtra State, India.
 ☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR AMBIENT AIR SURVEILLANCE

Report No	SEET/AA/06/25/43	Date	19/06/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad - 410208		
Sample collected by	AA Representative	Duration of sampling	24 Hrs
Reference	-----		
Date of sampling	11/06/2025	Sample Receipt Date	12/06/2025
Analysis Start Date	12/06/2025	Analysis Complete Date	17/06/2025

AMBIENT AIR STATION

Location of H.V.S.	Near Material Gate (V-23)	Lateral Distance	5.0 Mtr. From Material Gate
Ambient Temperature	34.1°C	Receptor Distance	1.5 Mtr. From Ground Level

POLLUTIONAL PARAMETERS

Parameters	Units	Result	NAAQS Limits	Method
Particulate Matter PM ₁₀	µg/m ³	82.00	100	Instr.Manual version 2.01
Particulate Matter PM _{2.5}	µg/m ³	30.00	60	CPCB Manual Volume I
Sulphur Dioxide (SO ₂)	µg/m ³	34.20	80	IS 5182(part 2)2001 (RA 2017)
Nitrogen Dioxide (NO ₂)	µg/m ³	26.00	80	IS 5182(part 2)2006 (RA 2017)
Ozone (O ₃)	µg/m ³	BDL(MDL<19.6)	100	MASA-411 3 rd Ed
Lead (Pb)	µg/m ³	BDL(MDL<0.1)	1.0	MASA-822 3 rd Ed
Carbon Monoxide (CO)	mg/m ³	0.74	02	IS 5182(part 10)1999 (RA 2014)
Ammonia (NH ₃)	µg/m ³	8.50	400	MASA-401 3 rd Ed
Benzene (C ₆ H ₆)	µg/m ³	BDL(MDL<0.2)	05	IS 5182(part 11)2006 (RA 2017)
Benzo (a) Pyrene (BaP)	ng/m ³	BDL(MDL<1)	01	CPCB Manual Vol I 2011
Arsenic (As)	ng/m ³	BDL(MDL<0.1)	06	MASA-302 3 rd Ed
Nickel (Ni)	ng/m ³	BDL(MDL<7)	20	MASA-822 3 rd Ed

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
 2) The above results relate only to the item tested.
 3) NAAQS-National Ambient Air Quality Standards
 4) BDL - Below Detectable Limit.

Authorized By





Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC, Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR AMBIENT AIR SURVEILLANCE

Report No	SEET/AA/06/25/44	Date	19/06/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad - 410208		
Sample collected by	AA Representative	Duration of sampling	24 hrs
Reference	-----		
Date of sampling	11/06/2025	Sample Receipt Date	12/06/2025
Analysis Start Date	12/06/2025	Analysis Complete Date	17/06/2025

AMBIENT AIR STATION

Location of H.V.S.	Near Gate No.3 (V-23)	Lateral Distance	5.0 Mtr. From Gate No.3
Ambient Temperature	34.1°C	Receptor Distance	1.5 Mtr. From Ground Level

POLLUTIONAL PARAMETERS

Parameters	Units	Result	NAAQS Limits	Method
Particulate Matter PM ₁₀	µg/m ³	79.00	100	Instr.Manual version 2.01
Particulate Matter PM _{2.5}	µg/m ³	30.20	60	CPCB Manual Volume I
Sulphur Dioxide (SO ₂)	µg/m ³	31.00	80	IS 5182(part 2)2001 (RA 2017)
Nitrogen Dioxide (NO ₂)	µg/m ³	20.00	80	IS 5182(part 2)2006 (RA 2017)
Ozone (O ₃)	µg/m ³	BDL(MDL<19.6)	100	MASA-411 3 rd Ed
Lead (Pb)	µg/m ³	BDL(MDL<0.1)	1.0	MASA-822 3 rd Ed
Carbon Monoxide (CO)	mg/m ³	0.62	02	IS 5182(part 10)1999 (RA 2014)
Ammonia (NH ₃)	µg/m ³	16.00	400	MASA-401 3 rd Ed
Benzene (C ₆ H ₆)	µg/m ³	BDL(MDL<0.2)	05	IS 5182(part 11)2006 (RA 2017)
Benzo (a) Pyrene (BaP)	ng/m ³	BDL(MDL<1)	01	CPCB Manual Vol I 2011
Arsenic (As)	ng/m ³	BDL(MDL<0.1)	06	MASA-302 3 rd Ed
Nickel (Ni)	ng/m ³	BDL(MDL<7)	20	MASA-822 3 rd Ed

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) NAAQS-National Ambient Air Quality Standards
4) BDL - Below Detectable Limit.



HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patis, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC, Wagale Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2563 3321 / 2563 3322 / 2563 3323 / 2563 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR AMBIENT AIR SURVEILLANCE

Report No	SEET/AA/06/25/45	Date	19/06/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad - 410208		
Sample collected by	AA Representative	Duration of sampling	24 hrs
Reference	-----		
Date of sampling	11/06/2025	Sample Receipt Date	12/06/2025
Analysis Start Date	12/06/2025	Analysis Complete Date	17/06/2025

AMBIENT AIR STATION

Location of H.V.S.	Near Material Gate No. 6 (EOU)	Lateral Distance	5.0 Mtr. From Material Gate No. 6 (EOU)
Ambient Temperature	34.1°C	Receptor Distance	1.5 Mtr. From Ground Level

POLLUTIONAL PARAMETERS

Parameters	Units	Result	NAAQS Limits	Method
Particulate Matter PM ₁₀	µg/m ³	76.00	100	Instr.Manual version 2.01
Particulate Matter PM _{2.5}	µg/m ³	31.00	60	CPCB Manual Volume 1
Sulphur Dioxide (SO ₂)	µg/m ³	33.00	80	IS 5182(part 2)2001 (RA 2017)
Nitrogen Dioxide (NO ₂)	µg/m ³	26.00	80	IS 5182(part 2)2006 (RA 2017)
Ozone (O ₃)	µg/m ³	BDL(MDL<19.6)	100	MASA-411 3 rd Ed
Lead (Pb)	µg/m ³	BDL(MDL<0.1)	1.0	MASA-822 3 rd Ed
Carbon Monoxide (CO)	mg/m ³	0.72	02	IS 5182(part 10)1999 (RA 2014)
Ammonia (NH ₃)	µg/m ³	24.00	400	MASA-401 3 rd Ed
Benzene (C ₆ H ₆)	µg/m ³	BDL(MDL<0.2)	05	IS 5182(part 11)2006 (RA 2017)
Benzo (a) Pyrene (BaP)	ng/m ³	BDL(MDL<1)	01	CPCB Manual Vol 1 2011
Arsenic (As)	ng/m ³	BDL(MDL<0.1)	06	MASA-302 3 rd Ed
Nickel (Ni)	ng/m ³	BDL(MDL<7)	20	MASA-822 3 rd Ed

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling
2) The above results relate only to the item tested.
3) NAAQS-National Ambient Air Quality Standards
4) BDL - Below Detectable Limit.



Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633668
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Palto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Waghe Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR AMBIENT AIR SURVEILLANCE

Report No	SEET/AA/06/25/46	Date	19/06/2025	
Name of Client	M/s GALAXY SURFACTANTS LIMITED			
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad - 410208			
Sample collected by	AA Representative	Duration of sampling	24 hrs	
Reference	-----			
Date of sampling	11/06/2025	Sample Receipt Date	12/06/2025	
Analysis Start Date	12/06/2025	Analysis Complete Date	17/06/2025	
AMBIENT AIR STATION				
Location of H.V.S.	Near MED Ware House (MED)	Lateral Distance	5.0 Mtr. From MED Ware House	
Ambient Temperature	34.1°C	Receptor Distance	1.5 Mtr. From Ground Level	
POLLUTIONAL PARAMETERS				
Parameters	Units	Result	NAAQS Limits	Method
Particulate Matter PM ₁₀	µg/m ³	54.00	100	Instr.Manual version 2.01
Particulate Matter PM _{2.5}	µg/m ³	24.00	60	CPCB Manual Volume 1
Sulphur Dioxide (SO ₂)	µg/m ³	22.00	80	IS 5182(part 2)2001 (RA 2017)
Nitrogen Dioxide (NO ₂)	µg/m ³	14.45	80	IS 5182(part 2)2006 (RA 2017)
Ozone (O ₃)	µg/m ³	BDL(MDL<19.6)	100	MASA-411 3 rd Ed
Lead (Pb)	µg/m ³	BDL(MDL<0.1)	1.0	MASA-822 3 rd Ed
Carbon Monoxide (CO)	mg/m ³	0.19	02	IS 5182(part 10)1999 (RA 2014)
Ammonia (NH ₃)	µg/m ³	6.12	400	MASA-401 3 rd Ed
Benzene (C ₆ H ₆)	µg/m ³	BDL(MDL<0.2)	05	IS 5182(part 11)2006 (RA 2017)
Benzo (a) Pyrene (BaP)	ng/m ³	BDL(MDL<1)	01	CPCB Manual Vol I 2011
Arsenic (As)	ng/m ³	BDL(MDL<0.1)	06	MASA-302 3 rd Ed
Nickel (Ni)	ng/m ³	BDL(MDL<7)	20	MASA-822 3 rd Ed
NOTE: 1) The above results relate only to the condition prevailing at the time of sampling. 2) The above results relate only to the item tested. 3) NAAQS-National Ambient Air Quality Standards 4) BDL - Below Detectable Limit.				



Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633668
E-mail : evaporationsystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR AMBIENT AIR SURVEILLANCE

Report No	SEET/AA/06/25/47	Date	19/06/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad - 410208		
Sample collected by	AA Representative	Duration of sampling	24 hrs
Reference	-----		
Date of sampling	11/06/2025	Sample Receipt Date	12/06/2025
Analysis Start Date	13/06/2025	Analysis Complete Date	17/06/2025

2MBIENT AIR STATION

Location of H.V.S.	Near Admin Gate (EOU)	Lateral Distance	5.0 Mtr. From Admin Gate (EOU)
Ambient Temperature	34.1°C	Receptor Distance	1.5 Mtr. From Ground Level

POLLUTIONAL PARAMETERS

Parameters	Units	Result	NAAQS Limits	Method
Particulate Matter PM ₁₀	µg/m ³	78.00	100	Instr.Manual version 2.01
Particulate Matter PM _{2.5}	µg/m ³	34.00	60	CPCB Manual Volume 1
Sulphur Dioxide (SO ₂)	µg/m ³	33.80	80	IS 5182(part 2)2001 (RA 2017)
Oxide of Nitrogen (NO _x)	µg/m ³	24.90	80	IS 5182(part 2)2006 (RA 2017)
Ozone (O ₃)	µg/m ³	BDL(MDL<19.6)	100	MASA-411 3 rd Ed
Lead (Pb)	µg/m ³	BDL(MDL<0.1)	1.0	MASA-822 3 rd Ed
Carbon Monoxide (CO)	mg/m ³	0.82	02	IS 5182(part 10)1999 (RA 2014)
Ammonia (NH ₃)	µg/m ³	18.00	400	MASA-401 3 rd Ed
Benzene (C ₆ H ₆)	µg/m ³	BDL(MDL<0.2)	05	IS 5182(part 11)2006 (RA 2017)
Benzo (a) Pyrene (BaP)	ng/m ³	BDL(MDL<1)	01	CPCB Manual Vol 1 2011
Arsenic (As)	ng/m ³	BDL(MDL<0.1)	06	MASA-302 3 rd Ed
Nickel (Ni)	ng/m ³	BDL(MDL<7)	20	MASA-822 3 rd Ed

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) NAAQS-National Ambient Air Quality Standards
4) BDL - Below Detectable Limit.

Authorized By 

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Palto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379




Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC, Wagale Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com


SAVE WATER
SAVE LIFE

Annexure B (Collectively)

ANALYSIS REPORT FOR STACK EMISSION				
Report No	SEET/AA/06/25/102		Date	19/06/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED			
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad – 410208			
Sample collected by	AA Representative			
Reference	-----			
Date of sampling	12/06/2025	Sample Receipt Date	13/06/2025	
Analysis Start Date	13/06/2025	Analysis Complete Date	17/06/2025	
DETAILS OF STACK				
Description	Unit	Result		
Stack No.	--	S-8		
Attached To	--	D.G. Set 1000 KVA		
Shape	--	Round		
Diameter	M	0.8		
Height From Ground Level	M	33		
Temperature	⁰ C	126		
Velocity of Flue Gases	M/Sec	8.12		
Volume of Flue Gases	Nm ³ /Hr	10054		
Type of Fuel	Kg/Hr.	H.S.D		
POLLUTION PARAMETERS				
PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	42.60
Sulphur Di-Oxide	IS 1255 (part II) – 1985	kg/day	96	7.50
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	12.00
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	0.15
Sulphur Content	---	%	1.0	0.0011
NOTE: 1) The above results relate only to the condition prevailing at the time of sampling. 2) The above results relate only to the item tested. 3) BDL – Below Detectable Limit.				
  Authorized By				

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/06/25/66	Date	19/06/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad - 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	12/06/2025	Sample Receipt Date	13/06/2025
Analysis Start Date	13/06/2025	Analysis Complete Date	17/06/2025

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	S-6
Stack Attached To	--	Thermopac Boiler (EOU)
Shape	--	Round
Diameter	M	0.4
Height From Ground Level	M	30.25
Temperature	°C	101
Velocity of Flue Gases	M/Sec	7.35
Volume of Flue Gases	Nm ³ /Hr	2645
Type of Fuel	Kg/Hr.	PNG

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	8.10
Sulphur Di-Oxide	IS 1255 (part II) - 1985	kg/day	156	Nil
Oxide of Nitrogen	IS 11255 (part 7)-2005	Ppm	--	14.84
Carbon Dioxide	IS 307 :1966	mg/m ³	--	0.14
Sulphur Content	---	%	4.5	Nil

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL - Below Detectable Limit.

Authorized By 



HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Palto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC, Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/06/25/58	Date	19/06/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad - 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	11/06/2025	Sample Receipt Date	12/06/2025
Analysis Start Date	12/06/2025	Analysis Complete Date	17/06/2025

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	S-1
Stack Attached To	--	Scrubber No .1 (V-23)
Shape	--	Round
Diameter	M	0.6
Height From Ground Level	M	30
Temperature	°C	41
Velocity of Flue Gases	M/Sec	6.28
Volume of Flue Gases	Nm ³ /Hr	6059
Type of Fuel	--	-

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	6.42
Sulphur Di-Oxide	IS 1255 (part II) - 1985	ppm	50	B.D.L (MDL <1)
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	2.18
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	0.21
Acid Mist	EPA Method	ppm	35	18.00


NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL - Below Detectable Limit.



Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 0591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Palto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC Wagale Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/06/25/65	Date	19/05/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad - 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	11/06/2025	Sample Receipt Date	12/06/2025
Analysis Start Date	12/06/2025	Analysis Complete Date	17/06/2025

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	S-5
Stack Attached To	--	Scrubber No .2 EOU
Shape	--	Round
Diameter	M	0.6
Height From Ground Level	M	30
Temperature	°C	42
Velocity of Flue Gases	M/Sec	6.42
Volume of Flue Gases	Nm ³ /Hr	6173
Type of Fuel	--	---

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	8.24
Sulphur Di-Oxide	IS 1255 (part II) - 1985	ppm	50	B.D.L (MDL <1)
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	B.D.L (MDL <1)
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	0.28
Acid Mist	EPA Method	ppm	35	16.00

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL - Below Detectable Limit.

Authorized By



HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationsystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Pattoo, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC Wagale Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/06/25/72	Date	19/06/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad - 410 208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	11/06/2025	Sample Receipt Date	12/06/2025
Analysis Start Date	12/06/2025	Analysis Complete Date	17/06/2025

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	S-8
Stack Attached To	--	Scrubber No .3 (MED)
Shape	--	Round
Diameter	M	0.6
Height From Ground Level	M	30
Temperature	°C	44
Velocity of Flue Gases	M/Sec	6.89
Volume of Flue Gases	Nm ³ /Hr	6582
Type of Fuel	--	---

POLLUTION PARAMETERS


PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	13.82
Sulphur Di-Oxide	IS 1255 (part II) - 1985	ppm	50	B.D.L (MDL <1)
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	B.D.L (MDL <1)
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	0.29
Acid Mist	EPA Method	ppm	35	18.45

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL - Below Detectable Limit.



HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Waghe Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/266	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad - 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	22/09/2025	Sample Receipt Date	24/09/2025
Analysis Start Date	25/09/2025	Analysis Complete Date	27/09/2025

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	S-5
Stack Attached To	--	Scrubber No .2 EOU
Shape	--	Round
Diameter	M	0.6
Height From Ground Level	M	30
Temperature	⁰ C	44
Velocity of Flue Gases	M/Sec	6.80
Volume of Flue Gases	Nm ³ /Hr	6502
Type of Fuel	--	---

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	9.34
Sulphur Di-Oxide	IS 1255 (part II) - 1985	ppm	50	B.D.L (MDL <1)
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	B.D.L (MDL <1)
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	0.19
Acid Mist	EPA Method	ppm	35	18.00


NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL - Below Detectable Limit.

Authorized By



HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC, Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/267	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad - 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	22/09/2025	Sample Receipt Date	24/09/2025
Analysis Start Date	25/09/2025	Analysis Complete Date	27/09/2025

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	--
Stack Attached To	--	Old Dryer 51 Exhaust
Shape	--	Round
Diameter	M	0.15
Height From Ground Level	M	2.0
Temperature	⁰ C	39
Velocity of Flue Gases	M/Sec	10.84
Volume of Flue Gases	Nm ³ /Hr	658
Type of Fuel	--	---

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	12.84
Sulphur Di-Oxide	IS 1255 (part II) - 1985	ppm	50	B.D.L
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	B.D.L
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	B.D.L
Acid Mist	EPA Method	ppm	35	B.D.L
CH ₄	EPA Method 3-C	ppm	--	B.D.L

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL - Below Detectable Limit.


Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC, Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/268	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad – 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	22/09/2025	Sample Receipt Date	24/09/2025
Analysis Start Date	25/09/2025	Analysis Complete Date	27/09/2025

DETAILS OF STACK

/Description	Unit	Result
Stack No.	--	--
Stack Attached To	--	Bag Filter (EOU Dryer 63)
Shape	--	Round
Diameter	M	0.6
Height From Ground Level	M	---
Temperature	⁰ C	41
Velocity of Flue Gases	M/Sec	6.76
Volume of Flue Gases	Nm ³ /Hr	6525
Type of Fuel	--	---

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	13.90
Sulphur Di-Oxide	IS 1255 (part II) – 1985	ppm	50	B.D.L
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	B.D.L
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	B.D.L

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL – Below Detectable Limit.

Authorized By 

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationsystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC Wagale Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/269	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad – 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	22/09/2025	Sample Receipt Date	24/09/2025
Analysis Start Date	25/09/2025	Analysis Complete Date	27/09/2025

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	--
Stack Attached To	--	Bag Filter (EOU Dryer 62)
Shape	--	Round
Diameter	M	0.6
Height From Ground Level	M	---
Temperature	⁰ C	39
Velocity of Flue Gases	M/Sec	7.48
Volume of Flue Gases	Nm ³ /Hr	7266
Type of Fuel	--	---

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	14.00
Sulphur Di-Oxide	IS 1255 (part II) – 1985	ppm	50	B.D.L
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	B.D.L
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	B.D.L

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL – Below Detectable Limit.

Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Palto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC, Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/270	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad - 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	22/09/2025	Sample Receipt Date	24/09/2025
Analysis Start Date	25/09/2025	Analysis Complete Date	27/09/2025

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	--
Stack Attached To	--	EOU Dryer 61 Scrubber
Shape	--	Round
Diameter	M	0.2
Height From Ground Level	M	1.0
Temperature	⁰ C	43
Velocity of Flue Gases	M/Sec	11.10
Volume of Flue Gases	Nm ³ /Hr	11183
Type of Fuel	--	---

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	16.00
Sulphur Di-Oxide	IS 1255 (part II) - 1985	ppm	50	B.D.L
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	B.D.L
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	B.D.L

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL - Below Detectable Limit.

Authorized By 


HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/271	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad – 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	22/09/2025	Sample Receipt Date	24/09/2025
Analysis Start Date	25/09/2025	Analysis Complete Date	27/09/2025

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	--
Stack Attached To	--	EOU Dryer 62 Scrubber
Shape	--	Round
Diameter	M	0.2
Height From Ground Level	M	8.5
Temperature	⁰ C	41
Velocity of Flue Gases	M/Sec	10.60
Volume of Flue Gases	Nm ³ /Hr	1137
Type of Fuel	--	---

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	9.80
Sulphur Di-Oxide	IS 1255 (part II) – 1985	ppm	50	B.D.L
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	B.D.L
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	B.D.L

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL – Below Detectable Limit.

Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/272	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad – 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	12/06/2025	Sample Receipt Date	13/06/2025
Analysis Start Date	13/06/2025	Analysis Complete Date	17/06/2025


DETAILS OF STACK

Description	Unit	Result
Stack No.	--	--
Stack Attached To	--	EOU Dryer 63 Scrubber
Shape	--	Round
Diameter	M	0.2
Height From Ground Level	M	8.5
Temperature	^o C	44
Velocity of Flue Gases	M/Sec	11.31
Volume of Flue Gases	Nm ³ /Hr	1202
Type of Fuel	--	---

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	18.00
Sulphur Di-Oxide	IS 1255 (part II) – 1985	ppm	50	B.D.L
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	B.D.L
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	B.D.L

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL – Below Detectable Limit.

Authorized By 

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/273	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad – 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	22/09/2025	Sample Receipt Date	24/09/2025
Analysis Start Date	25/09/2025	Analysis Complete Date	27/09/2025

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	--
Stack Attached To	--	Jumbo Bag Filter (EOU)
Shape	--	Round
Diameter	M	0.4
Height From Ground Level	M	---
Temperature	⁰ C	43
Velocity of Flue Gases	M/Sec	9.61
Volume of Flue Gases	Nm ³ /Hr	4097
Type of Fuel	--	---

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	14.70
Sulphur Di-Oxide	IS 1255 (part II) – 1985	ppm	50	B.D.L
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	B.D.L
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	B.D.L

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL – Below Detectable Limit.



HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Pattoo, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC Wagale Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/274	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad – 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	22/09/2025	Sample Receipt Date	24/09/2025
Analysis Start Date	25/09/2025	Analysis Complete Date	27/09/2025


DETAILS OF STACK

Description	Unit	Result
Stack No.	--	--
Stack Attached To	--	Pneumatic Dust Collector 3rd floor (New Dryer)
Shape	--	Round
Diameter	M	0.15
Height From Ground Level	M	15.0
Temperature	⁰ C	43
Velocity of Flue Gases	M/Sec	11.24
Volume of Flue Gases	Nm ³ /Hr	674
Type of Fuel	--	---

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	17.00
Sulphur Di-Oxide	IS 1255 (part II) – 1985	ppm	50	B.D.L
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	B.D.L
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	B.D.L

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL – Below Detectable Limit.


Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Palto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC, Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/275	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad – 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	22/09/2025	Sample Receipt Date	24/09/2025
Analysis Start Date	25/09/2025	Analysis Complete Date	27/09/2025

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	--
Stack Attached To	--	New Dryer 52 Scrubber
Shape	--	Round
Diameter	M	0.15
Height-From Ground Level	M	3.0
Temperature	^o C	42
Velocity of Flue Gases	M/Sec	10.14
Volume of Flue Gases	Nm ³ /Hr	610
Type of Fuel	--	---

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	13.02
Sulphur Di-Oxide	IS 1255 (part II) – 1985	ppm	50	B.D.L
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	B.D.L
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	B.D.L

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL – Below Detectable Limit.


Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/276	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad – 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	22/09/2025	Sample Receipt Date	24/09/2025
Analysis Start Date	25/09/2025	Analysis Complete Date	27/09/2025

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	--
Stack Attached To	--	New Dryer 53 Scrubber
Shape	--	Round
Diameter	M	0.15
Height From Ground Level	M	2.0
Temperature	⁰ C	40
Velocity of Flue Gases	M/Sec	11.07
Volume of Flue Gases	Nm ³ /Hr	670
Type of Fuel	--	---

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	14.20
Sulphur Di-Oxide	IS 1255 (part II) – 1985	ppm	50	B.D.L.
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	B.D.L.
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	B.D.L.

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL – Below Detectable Limit.


Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Palto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/277	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad – 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	22/09/2025	Sample Receipt Date	24/09/2025
Analysis Start Date	25/09/2025	Analysis Complete Date	27/09/2025

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	--
Stack Attached To	--	Jumbo Bag Filter 3rd Floor (New Dryer)
Shape	--	Round
Diameter	M	0.6
Height From Ground Level	M	2.5
Temperature	⁰ C	44
Velocity of Flue Gases	M/Sec	8.47
Volume of Flue Gases	Nm ³ /Hr	8098
Type of Fuel	--	---

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	21.00
Sulphur Di-Oxide	IS 1255 (part II) – 1985	ppm	50	B.D.L
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	B.D.L
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	B.D.L

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL – Below Detectable Limit.


Authorized By



HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationsystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC, Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/278	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad – 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	22/09/2025	Sample Receipt Date	24/09/2025
Analysis Start Date	25/09/2025	Analysis Complete Date	27/09/2025

DETAILS OF STACK


Description	Unit	Result
Stack No.	--	--
Stack Attached To	--	Sieve Bag Filter 1 st Floor (New Dryer)
Shape	--	Round
Diameter	M	0.2
Height From Ground Level	M	12.0
Temperature	⁰ C	39
Velocity of Flue Gases	M/Sec	10.01
Volume of Flue Gases	Nm ³ /Hr	1080
Type of Fuel	--	---

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	12.40
Sulphur Di-Oxide	IS 1255 (part II) – 1985	ppm	50	B.D.L
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	B.D.L
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	B.D.L


NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL – Below Detectable Limit.


Authorized By



HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159185 / 7304633868
E-mail : evaporationsystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/338	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad – 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	23/09/2025	Sample Receipt Date	24/09/2025
Analysis Start Date	25/09/2025	Analysis Complete Date	27/09/2025

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	S-1
Stack Attached To	--	Scrubber No .1 (V-23)
Shape	--	Round
Diameter	M	0.6
Height From Ground Level	M	30
Temperature	°C	40
Velocity of Flue Gases	M/Sec	6.76
Volume of Flue Gases	Nm ³ /Hr	6546
Type of Fuel	--	-

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	5.41
Sulphur Di-Oxide	IS 1255 (part II) – 1985	ppm	50	B.D.L (MDL <1)
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	1.98
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	0.14
Acid Mist	EPA Method	ppm	35	13.00

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL – Below Detectable Limit.

Authorized By 

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/339	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad - 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	23/09/2025	Sample Receipt Date	24/09/2025
Analysis Start Date	25/09/2025	Analysis Complete Date	27/09/2025

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	S-6
Stack Attached To	--	Thermopac Boiler (EOU)
Shape	--	Round
Diameter	M	0.4
Height From Ground Level	M	30.25
Temperature	⁰ C	103
Velocity of Flue Gases	M/Sec	7.58
Volume of Flue Gases	Nm ³ /Hr	2743
Type of Fuel	Kg/Hr.	PNG

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	8.87
Sulphur Di-Oxide	IS 1255 (part II) - 1985	kg/day	156	Nil
Oxide of Nitrogen	IS 11255 (part 7)-2005	Ppm	--	16.08
Carbon Dioxide	IS 307 :1966	mg/m ³	--	0.11
Sulphur Content	---	%	4.5	Nil

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL - Below Detectable Limit.

Authorized By 

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/340	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad – 410 208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	23/09/2025	Sample Receipt Date	24/09/2025
Analysis Start Date	25/09/2025	Analysis Complete Date	27/09/2025

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	S-8
Stack Attached To	--	Scrubber No .3 (MED)
Shape	--	Round
Diameter	M	0.6
Height From Ground Level	M	30
Temperature	⁰ C	42
Velocity of Flue Gases	M/Sec	7.01
Volume of Flue Gases	Nm ³ /Hr	6745
Type of Fuel	--	---

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	12.10
Sulphur Di-Oxide	IS 1255 (part II) – 1985	ppm	50	B.D.L (MDL <1)
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	B.D.L (MDL <1)
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	0.28
Acid Mist	EPA Method	ppm	35	20.12

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL – Below Detectable Limit.


Authorized By



HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Paighar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationsystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1999PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC, Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/341	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad – 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	23/09/2025	Sample Receipt Date	24/09/2025
Analysis Start Date	25/09/2025	Analysis Complete Date	27/09/2025

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	Boiler 1
Stack Attached To	--	Bag Filter
Shape	--	Round
Diameter	M	0.880
Height From Ground Level	M	30
Temperature	⁰ C	133
Velocity of Flue Gases	M/Sec	7.51
Volume of Flue Gases	Nm ³ /Hr	12060
Type of Fuel	Kg/Hr.	Briquette

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	48.00
Sulphur Di-Oxide	IS 1255 (part II) – 1985	kg/day	--	0.21

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.

2) The above results relate only to the item tested.


3) BDL – Below Detectable Limit.


Authorized By



HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC, Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/355	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad – 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	24/09/2025	Sample Receipt Date	24/09/2025
Analysis Start Date	25/09/2025	Analysis Complete Date	27/09/2025

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	S-7
Stack Attached To	--	D.G. Set 1000 KVA
Shape	--	Round
Diameter	M	0.8
Height From Ground Level	M	33
Temperature	^o C	125
Velocity of Flue Gases	M/Sec	8.79
Volume of Flue Gases	Nm ³ /Hr	11900
Type of Fuel	Kg/Hr.	H.S.D

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	44.70
Sulphur Di-Oxide	IS 1255 (part II) – 1985	kg/day	864	9.12
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	15.00
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	0.18
Sulphur Content	---	%	4.5	0.0017

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL – Below Detectable Limit.



HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patta, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/356	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad – 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	24/09/2025	Sample Receipt Date	24/09/2025
Analysis Start Date	25/09/2025	Analysis Complete Date	27/09/2025

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	S-7
Stack Attached To	--	D.G. Set 1.9 MW (EOU)
Shape	--	Round
Diameter	M	0.8
Height From Ground Level	M	45
Temperature	⁰ C	169
Velocity of Flue Gases	M/Sec	9.96
Volume of Flue Gases	Nm ³ /Hr	12142
Type of Fuel	Kg/Hr.	F.O

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	51.20
Sulphur Di-Oxide	IS 1255 (part II) – 1985	kg/day	864	43.84
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	30.00
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	0.29
Sulphur Content	---	%	4.5	0.0068

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL – Below Detectable Limit.



HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC, Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/357	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad – 410208		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	24/09/2025	Sample Receipt Date	24/09/2025
Analysis Start Date	25/09/2025	Analysis Complete Date	27/09/2025

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	--
Attached To	--	Fire Engine -1
Shape	--	Round
Diameter	M	0.1016
Height From Ground Level	M	9
Temperature	°C	145
Velocity of Flue Gases	M/Sec	12.03
Volume of Flue Gases	Nm ³ /Hr	250
Type of Fuel	Kg/Hr.	Diesel

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	54.85
Sulphur Di-Oxide	IS 1255 (part II) – 1985	kg/day	96	9.02
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	19.40
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	0.29
Sulphur Content	---	%	1.0	0.140

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL – Below Detectable Limit.



HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR STACK EMISSION

Report No	SEET/AA/09/25/358	Date	29/09/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad – 410208		
Sample collected by	AA Representative		
Reference			
Date of sampling	24/09/2025	Sample Receipt Date	24/09/2025
Analysis Start Date	25/09/2025	Analysis Complete Date	27/09/2025


DETAILS OF STACK

Description	Unit	Result
Stack No.	--	--
Attached To	--	Fire Engine -2
Shape	--	Round
Diameter	M	0.1016
Height From Ground Level	M	9
Temperature	^o C	153
Velocity of Flue Gases	M/Sec	10.94
Volume of Flue Gases	Nm ³ /Hr	223
Type of Fuel	Kg/Hr.	Diesel

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)-1985	mg/Nm ³	150	43.00
Sulphur Di-Oxide	IS 1255 (part II) – 1985	kg/day	96	7.52
Oxide of Nitrogen	IS 11255 (part 7)-2005	ppm	NA	18.02
Carbon Dioxide	IS 307 :1966	mg/m ³	NA	0.39
Sulphur Content	---	%	1.0	0.160

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL – Below Detectable Limit.



HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationsystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC, Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

REPORT FOR AMBIENT NOISE LEVEL MONITORING

Report No	SEET/AA/06/25/52	Date	19/06/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad - 410208		
Sample collected by	AA Representative		
Date of sampling	11/06/2025		
Duration Of sampling	24 hrs		
Reference	-----		

DAY & NIGHT TIME NOISE LEVEL MONITORING

Sr. No	Sampling Location	Noise Levels in dB(A)(Day Time)		Noise Levels in dB(A)(Night Time)		Leq*
		Max	Min	Max	Min	
1	Admin Gate (EOU)	79.8	55.4	70.25	58.6	69.7
MPCB LIMIT In dB(A) (Day Time)				75		
MPCB LIMIT In dB(A) (Night Time)				70		

NOTE: *dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.

A "decibel" is a unit in which noise is measured.

"A", in dB (A) Leq, denotes the frequency weighting in the measurement of noise

And corresponds to frequency response characteristics of the human hear.

Leq: It is the energy mean of the noise level over a specified period.

Authorized By



HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC, Wagale Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

REPORT FOR AMBIENT NOISE LEVEL MONITORING

Report No	SEET/AA/06/25/48	Date	19/06/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad - 410208		
Sample collected by	AA Representative		
Date of sampling	11/06/2025		
Duration Of sampling	24 hrs		
Reference	-----		

DAY & NIGHT TIME NOISE LEVEL MONITORING

Sr. No	Sampling Location	Noise Levels in dB(A) (Day Time)		Noise Levels in dB(A)(Night Time)		Leq*
		Max	Min	Max	Min	
1	Material Gate (V-23)	73.2	60.8	70.2	59.8	67.3
MPCB LIMIT In dB(A) (Day Time)				75		
MPCB LIMIT In dB(A) (Night Time)				70		

NOTE: *dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.

A "decibel" is a unit in which noise is measured.

"A", in dB (A) Leq, denotes the frequency weighting in the measurement of noise And corresponds to frequency response characteristics of the human hear.


Leq: It is the energy mean of the noise level over a specified period.

Authorized By



HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationsystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC, Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

REPORT FOR AMBIENT NOISE LEVEL MONITORING

Report No	SEET/AA/06/25/49	Date	19/06/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad - 410208		
Sample collected by	AA Representative		
Date of sampling	11/06/2025		
Duration Of sampling	24 hrs		
Reference	-----		

DAY & NIGHT TIME NOISE LEVEL MONITORING

Sr. No	Sampling Location	Noise Levels in dB(A)(Day Time)		Noise Levels in dB(A)(Night Time)		Leq*
		Max	Min	Max	Min	
1	Gate No.3 (V-23)	73.2	60.6	70.4	59.8	66.8
MPCB LIMIT In dB(A) (Day Time)				75		
MPCB LIMIT In dB(A) (Night Time)				70		

NOTE: *dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.

A "decibel" is a unit in which noise is measured.


"A", in dB (A) Leq, denotes the frequency weighting in the measurement of noise And corresponds to frequency response characteristics of the human hear.

Leq: It is the energy mean of the noise level over a specified period.

Authorized By 

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Waghe Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

REPORT FOR AMBIENT NOISE LEVEL MONITORING

Report No	SEET/AA/06/25/50	Date	19/06/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad – 410208		
Sample collected by	AA Representative		
Date of sampling	11/06/2025		
Duration Of sampling	24 hrs		
Reference	-----		

DAY & NIGHT TIME NOISE LEVEL MONITORING

Sr. No	Sampling Location	Noise Levels in dB(A)(Day Time)		Noise Levels in dB(A)(Night Time)		Leq*
		Max	Min	Max	Min	
1	Material Gate No. 6 (EOU)	75.2	57.8	73.2	52.4	65.7
MPCB LIMIT In dB(A) (Day Time)				75		
MPCB LIMIT In dB(A) (Night Time)				70		

NOTE: *dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.

A “decibel” is a unit in which noise is measured.

“A”, in dB (A) Leq, denotes the frequency weighting in the measurement of noise

And corresponds to frequency response characteristics of the human hear.

Leq: It is the energy mean of the noise level over a specified period.

Authorized By



HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationsystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, MIDC, Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

REPORT FOR AMBIENT NOISE LEVEL MONITORING

Report No	SEET/AA/06/25/51	Date	19/06/2025
Name of Client	M/s GALAXY SURFACTANTS LIMITED		
Address of Client	Plot No. V-23 & 01, MIDC Taloja, Tal. Panvel, Dist. Raigad - 410208		
Sample collected by	AA Representative		
Date of sampling	11/06/2025		
Duration Of sampling	24 hrs		
Reference	-----		

DAY & NIGHT TIME NOISE LEVEL MONITORING

Sr. No	Sampling Location	Noise Levels in dB(A) (Day Time)		Noise Levels in dB(A) (Night Time)		Leq*
		Max	Min	Max	Min	
1	Near MED Ware House (MED)	75.2	52.6	72.4	50.1	64.5
MPCB LIMIT In dB(A) (Day Time)				75		
MPCB LIMIT In dB(A) (Night Time)				70		


NOTE: *dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.

A "decibel" is a unit in which noise is measured.

"A", in dB (A) Leq, denotes the frequency weighting in the measurement of noise

And corresponds to frequency response characteristics of the human hear.

Leq: It is the energy mean of the noise level over a specified period.



HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Form 4

See rules 6(5),13(8),16(6) and 20(2) of Hazardous and other wastes 2016

FORM FOR FILING ANNUAL RETURNS

[To be submitted to state pollution control board/pollution control committee by 30th June of every year for the preceeding period April to march]

Unique Application Number:

MPCB-HW_ANNUAL_RETURN-0000058193

Submitted On:

28-06-2025

Industry Type :

Generator

Submitted for Year:

2025

1. Name of the generator/operator of facility

Galaxy Surfactants Ltd.

Address of the unit/facility

Galaxy Surfactants Ltd., Plot No. V-23, MIDC Taloja and Plot No. 1, Village Chal, Tal. Panvel, Dist.Raigad PIN no:- 410208

1b. Authorization Number

FORMAT1.0/CAC/UAN No.MPCB-
CONSENT_AMMENDMENT-0000011823/CR/2407000001

Date of issue

Jul 2, 2024

Date of validity of consent

Feb 28, 2026

2. Name of the authorised person

Avinash Shinde

Full address of authorised person

Plot No. V-23, MIDC Taloja and Plot No. 1, Village Chal, Tal. Panvel, Dist.Raigad PIN no:- 410208

Telephone

9867698829

Fax

022-27411702

Email

Galaxy-V23@galaxysurfactants.com

3.Production during the year (product wise), wherever applicable

Product Type *	Product Name *	Consented Quantity	Actual Quantity	UOM
Chemical ,Petrochemical &Electrochemical	Anionic Surfactants (on 100% AM basis) such as Fatty Alcohol Sulphate, Fatty Alcohol Ether Sulphates etc.	85680.0000	70171.2	MT/A
Chemical ,Petrochemical &Electrochemical	Ethylene Oxide Condensate	60000.0000	33203.2	MT/A
Chemical ,Petrochemical &Electrochemical	Cationic Surfactants (on 100% AM basis) such as Betains, Quaternary Ammonium Salts etc.	18240.0000	6103.4	MT/A
Chemical ,Petrochemical &Electrochemical	Sulphosuccinates	720.0000	00	MT/A
Chemical ,Petrochemical &Electrochemical	Surfactant Blends (on 100% AM basis) such as SYNDET Soap Granules/ Noodles, Sparkle Series etc.	15840.0000	2237.1	MT/A
Chemical ,Petrochemical &Electrochemical	Fatty Acid Esters, Fatty Alkanol Amides and Esterquates	20400.0000	5291.7	MT/A

PART A: To be filled by hazardous waste generators

1. Total Quantity of waste generated category wise

Type of hazardous waste	Wate Name	Consented Quantity	Quantity	UOM
1.6 Spent catalyst and molecular sieves	NA	6.000	0.94	MTA
5.1 Used or spent oil	NA	6.000	4.56	KL/Anum
5.2 Wastes or residues containing oil	NA	1.000	15.84	KL/Anum
33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	NA	24.000	7.42	KL/Anum
33.2 Contaminated cotton rags or other cleaning materials	NA	1.000	0.93	KL/Anum
35.1 Exhaust Air or Gas cleaning residue	NA	98.400	86.86	KL/Anum
35.3 Chemical sludge from waste water treatment	NA	108.000	61.61	KL/Anum
37.3 Concentration or evaporation residues	NA	180.000	106.41	KL/Anum
Other Hazardous Waste	Conc. Sulphuric Acid	1584.000	514.14	KL/Anum
Other Hazardous Waste	Sodium Sulphate	2160.000	1609.1	KL/Anum

2. Quantity dispatched category wise.

Type of Waste	Quantity of waste	UOM	Dispatched to	Facility Name
1.6 Spent catalyst and molecular sieves	0.94	MTA	Disposal Facility	Mumbai Waste Management Ltd.
5.1 Used or spent oil	4.56	MTA	Disposal Facility	Mumbai Waste Management Ltd
5.2 Wastes or residues containing oil	15.84	MTA	Disposal Facility	Mumbai Waste Management Ltd
33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	7.42	MTA	Disposal Facility	Mumbai Waste Management Ltd
33.2 Contaminated cotton rags or other cleaning materials	0.93	MTA	Disposal Facility	Mumbai Waste Management Ltd
35.1 Exhaust Air or Gas cleaning residue	86.86	MTA	Disposal Facility	Mumbai Waste Management Ltd
35.3 Chemical sludge from waste water treatment	61.61	MTA	Disposal Facility	Mumbai Waste Management Ltd
37.3 Concentration or evaporation residues	106.41	MTA	Disposal Facility	Mumbai Waste Management Ltd
Other Hazardous Waste	514.14	MTA	Recycler or Actual user	Rama Krishi Rasayan
Other Hazardous Waste	1609.1	MTA	Co-processors or pre-processor	GGEPIIL/Ansh Enterprises

3. Quantity Utilised in-house,If any

Type of Waste	Name of Waste	Quantity of Waste	UOM
	NA	00	MTA

4. Quantity in storage at the end of the year

Type of Waste	Name of Waste	Quantity of Waste	UOM
	NA	00	MTA

5. Quantity disposed in landfills as such and after treatment

Type	Quantity	UOM
Direct landfilling	NA	KL/Anum
Landfill after treatment	NA	KL/Anum

6. Quantity incinerated (if applicable)

UOM
NA
KL/Anum

Personal Details

Place	Date	Designation
Taloja	2025-06-28	General Manager - SHE & Instrument



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2025

Unique Application Number

MPCB-ENVIRONMENT_STATEMENT-0000088683

Submitted Date

30-09-2025

PART A

Company Information

Company Name

Galaxy Surfactants Limited

Application UAN number

UAN No.0000011823

Address

V-23 & Plot No.1, MIDC
Taloja, Tal. Panvel, Dist.
Raigad

Plot no

V-23 & 01

Taluka

Panvel

Village

Chal

Capital Investment (In lakhs)

33333

Scale

LSI

City

Panvel

Pincode

410208

Person Name

Mr.Vinod Mante

Designation

Factory Manager

Telephone Number

39215300

Fax Number

27411701

Email

vinod.mante@galaxysurfactants.com

Region

SRO-Taloja

Industry Category

Red

Industry Type

R22 Organic Chemicals manufacturing

Last Environmental statement submitted online

yes

Consent Number

Format1.0/CAC/UAN No.MPCB
CONSENT_AMMENDMENT-0000011823/CR/2407000001

Consent Issue Date

2024-07-02

Consent Valid Upto

2026-02-28

Establishment Year

1980

Date of last environment statement submitted

Sep 30 2024 12:00:00:000AM

Industry Category

Primary (STC Code) &
Secondary (STC Code)

Product Information

Product Name

Anionic surfactants (on 100% AM basis) such as Fatty Alcohol Sulphate, Fatty Alcohol ether sulphates etc.

Consent Quantity

85680

Actual Quantity

70171

MT/A

Ethylene Oxide Condensate

60000

33203

MT/A

Cationic Surfactants (on 100% AM basis) such as Betaine, Quaternary Ammonium Salts etc.

18240

6103

MT/A

Sulphosuccinates	720	0	MT/A
Surfactant blends (on 100% AM basis) such as Syndet Soap- Granules/Noodles, Sparkle series etc.	15840	2237	MT/A
Fatty Acid Esters, Fatty alkanol amides and esterquats	20400	5292	MT/A

By-product Information

By Product Name	Consent Quantity	Actual Quantity	UOM
NA	0	0	MT/A

Part-B (Water & Raw Material Consumption)

1) Water Consumption in m3/day

Water Consumption for Process	Consent Quantity in m3/day	Actual Quantity in m3/day
Cooling	320.00	241.78
Domestic	380.00	287.11
All others	65.00	49.11
Total	20.00	15.11
	785.00	593.11

2) Effluent Generation in CMD / MLD

Particulars	Consent Quantity	Actual Quantity	UOM
Trade Effluent	184.00	139.02	CMD
Domestic Effluent	60.00	45.33	CMD

2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)

Name of Products (Production)	During the Previous financial Year	During the current Financial year	UOM
Anionic surfactants (on 100% AM basis) such as Fatty Alcohol Sulphate, Fatty Alcohol ether sulphates etc.	0.0022	0.0034	CMD
Ethylene Oxide Condensate	0.0042	0.0072	CMD
Cationic Surfactants (on 100% AM basis) such as Betaine, Quaternary Ammonium Salts etc.	0.0245	0.0396	CMD
Sulphosuccinates	0	0	CMD
Surfactant blends (on 100% AM basis) such as Syndet Soap- Granules/Noodles, Sparkle series etc.	0.0800	0.1080	CMD
Fatty Acid Esters, Fatty alkanol amides and esterquats.	0.0266	0.0456	CMD

3) Raw Material Consumption (Consumption of raw material per unit of product)

Name of Raw Materials	During the Previous financial Year	During the current Financial year	UOM
Ethylene Oxide	0.270	0.271	MT/A
Caustic Lye	0.291	0.297	MT/A
Fatty Alcohol	0.678	0.651	MT/A
Sulphur	0.103	0.105	MT/A
CFA	0.467	0.381	MT/A
DMAPA	0.256	0.265	MT/A

MCA	0.256	0.082	MT/A
MEA	0.123	0.117	MT/A
MEG	0.066	0.068	MT/A
Stearic Acid	0.512	0.545	MT/A
Fatty Alcohol Ethoxylates	0.035	0.044	MT/A
Hydrogen Peroxide	0.001	0.002	MT/A
DMLA	0.005	0.005	MT/A
Starch	0.021	0.015	MT/A
Citric Acid	0.005	0.0044	MT/A
Cetostearyl Alcohol	0.107	0.108	MT/A
Ammonia	0.005	0.006	MT/A
Cetyl Alcohol (C16-95%)	0.0	0.0005	MT/A
Lauric Acid	0.0469	0.104	MT/A
Maltodextrin	0.1374	0.145	MT/A

4) Fuel Consumption

Fuel Name	Consent quantity	Actual Quantity	UOM
HSD	5256	38.795	MT/A

Part-C

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

[A] Water

Pollutants Detail	Quantity of Pollutants discharged (kL/day) Quantity	Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour Concentration	Percentage of variation from prescribed standards with reasons %variation	Standard	Reason
ZLD	0	0	--	NA	ZLD

[B] Air (Stack)

Pollutants Detail	Quantity of Pollutants discharged (kL/day) Quantity	Concentration of Pollutants discharged(Mg/NM3) Concentration	Percentage of variation from prescribed standards with reasons %variation	Standard	Reason
TPM - (S-6 MED)	0	7.68	--	150	Within MPCB norms
TPM - (S1 2.5 TPH)	0	56.8	--	150	Within MPCB norms
SO2 - (S1 2.5 TPH)	21.5	0	--	648	Within MPCB norms
TPM - (S2 5 TPH)	0	41.80	--	150	Within MPCB norms
SO2- (S2 5 TPH)	13.60	0	--	180	Within MPCB norms
TPM- (Thermopac Boiler)	0	45.8	--	150	Within MPCB norms
TPM- (SO2)	16.80	0	--	156	Within MPCB norms
TPM- (V-23 Scrubber No.1)	0	8.65	--	150	Within MPCB norms
TPM- (EOU Scrubber No.2)	0	19.80	--	150	Within MPCB norms

Part-D

HAZARDOUS WASTES

1) From Process

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used or spent oil	2.6	4.56	MT/A
1.6 Spent catalyst and molecular sieves	1.73	0.94	MT/A
33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	14.35	7.42	MT/A
33.2 Contaminated cotton rags or other cleaning materials	0.38	0.93	MT/A
5.2 Wastes or residues containing oil	1.8	15.84	MT/A
Other Hazardous Waste	431	464.83	MT/A
Other Hazardous Waste	374	1574.77	MT/A

2) From Pollution Control Facilities

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
37.2 Ash from incinerator and flue gas cleaning residue	79.08	86.86	MT/A
35.3 Chemical sludge from waste water treatment	61.18	61.61	MT/A
37.3 Concentration or evaporation residues	111.77	106.41	MT/A

Part-E

SOLID WASTES

1) From Process

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
Waste Paper/ paper bags	78.341	77.38	MT/A
Corrugated Box	2.44	10.17	MT/A
Broken Glass	3.93	6.27	MT/A
Used decontaminated drums	6506	7721	Nos./Y
Plastic/HDPE decontaminated bags	20.701	27.723	MT/A
Flexi bags	1591	1500	Nos./Y
Filter elements	0	0	Nos./Y
Wooden scrap	153.19	124.59	MT/A
Non contaminated Plastic	1.944	8.607	MT/A
Insulation Waste (LRB, PUF, Calcium Silicate, Nirrile rubber, Cerawool, Asbestos Rope, etc)	14.22	24.69	MT/A
Process Consumables (Silica gel, Ceramic, Alumina, etc.)	10.59	5.9	MT/A
Miscellaneous waste (Tyre, V belt, Welding rod, etc)	2.8	0.62	MT/A

2) From Pollution Control Facilities

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
Boiler Ash (Coal Fired boiler)	333.41	220.31	MT/A

3) Quantity Recycled or Re-utilized within the unit

Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
-------------------	---	--	------------

Part-F

Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

1) Hazardous Waste

Type of Hazardous Waste Generated	Qty of Hazardous Waste	UOM	Concentration of Hazardous Waste
5.1 Used or spent oil	4.56	MT/A	Disposed to MWML
1.6 Spent catalyst and molecular sieves	0.94	MT/A	Disposed to MWML
33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	7.42	MT/A	Disposed to MWML
33.2 Contaminated cotton rags or other cleaning materials	0.93	MT/A	Disposed to MWML
5.2 Wastes or residues containing oil	15.84	MT/A	Disposed to MWML
37.2 Ash from incinerator and flue gas cleaning residue	86.86	MT/A	Disposed to MWML
35.3 Chemical sludge from waste water treatment	61.61	MT/A	Disposed to MWML
37.3 Concentration or evaporation residues	106.41	MT/A	Disposed to MWML
Other Hazardous Waste	464.83	MT/A	disposal to authorized party
Other Hazardous Waste	1574.77	MT/A	disposal to authorized party

2) Solid Waste

Type of Solid Waste Generated	Qty of Solid Waste	UOM	Concentration of Solid Waste
Waste Paper/ paper bags	77.38	MT/A	100% Sale to authorized party
Corrugated Box	10.17	MT/A	100% Sale to authorized party
Broken Glass	6.27	MT/A	100% Sale to authorized party
Used decontaminated drums	7721	Nos./Y	100% Sale to authorized party
Plastic/HDPE decontaminated bags	27.723	MT/A	100% Sale to authorized party
Flexi bags	1500	Nos./Y	100% Sale to authorized party
Filter elements	0	Nos./Y	100% Sale to authorized party
Wooden scrap	124.59	MT/A	100% Sale to authorized party
Boiler Ash (Coal Fired boiler)	220.31	MT/A	100% Sale to authorized party
Non-contaminated Plastic	8.60	MT/A	100% Sale to authorized party
Insulation Waste (LRB, PUF, Calcium Silicate, Nirrile rubber, Cerawool, Asbestos Rope, etc)	24.69	MT/A	100% Sale to authorized party
Process Consumables (Silica gel, Ceramic, Alumina, etc.)	5.9	MT/A	100% Sale to authorized party
Miscellaneous waste (Tyre, V belt, Welding rod, etc)	0.62	MT/A	100% Sale to authorized party

Part-G

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)	Reduction in Power Consumption (KWH)	Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)
--------------------	--	---	---------------------------------------	---	------------------------------------	--

RO Plant	130	0	0	0	45	0
Operation for ETP						

Part-H

<u>Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.</u>		
<u>[A] Investment made during the period of Environmental Statement</u>		
<i>Detail of measures for Environmental Protection</i>	<i>Environmental Protection Measures</i>	<i>Capital Investment (Lacks)</i>
ETP With ZLD SYSTEM	NA	1000

<u>[B] Investment Proposed for next Year</u>		
<i>Detail of measures for Environmental Protection</i>	<i>Environmental Protection Measures</i>	<i>Capital Investment (Lacks)</i>
O & M of pollution control system & compliance of consent conditions	Air & Water abatement	200

Part-I

Any other particulars for improving the quality of the environment.

Particulars
Planted 110 trees in plant premises

Name & Designation
Mr.Vinod Mante - Factory Manager

UAN No:
MPCB-ENVIRONMENT_STATEMENT-0000088683

Submitted On:
30-09-2025

28.10.2025

The Regional Officer,
Maharashtra Pollution Control Board
Raigad Bhavan, 7th Floor, Sector-11,
CBD Belapur, Navi Mumbai

Dear Sir,

Subject: Compliance report of Environment Clearance

Ref : SEIAA Letter No.: SEAC-2212/CR-494/TC-2 dated 08.04.2015 and
Subsequent amendment in Environment clearance vide letter no. SEIAA-
2016/CR 05/TC 3 dated 19.05.2016 and SEIAA letter no.: SEAC-
2010/CR.448/TC.2

Please find attached half yearly compliance report for the period from April 2025 to September 2025, in compliance of Condition No.26 and 29 of our Environment Clearance letter dated 08.04.2015 and condition no.23 of our Environment Clearance letter dated 03.12.2010.

Kindly acknowledge receipt of this letter with its enclosure.

Thanking you,
Cordially yours,


For Galaxy Surfactants Limited


Shamsundar Gawade
General Manager-Corporate Governance



Encl: As above

CC : 1. Ministry of Environment and Forest, Climate Change
Regional Office (WCZ), Ground Floor,
East Wing, New Secretariat Building, Civil Line, Nagpur-440001


Regional Office
Maharashtra Pollution Control Board
7th Floor, Raigad Bhavan,
Navi Mumbai - 400 614

Factory Address:
Plot No. V-23 MIDC, Talaja
& Plot No. 1, Village: Chal
Near Talaja Ind. Area,
Tal : Panvel, Dist. Raigad.
Ph: +91-22-39215300 / 39545100
Fax: +91-22-27411701 / 27411702

Regd. Office:
C-49/2, TTC Industrial Area, Pawne,
Navi Mumbai – 400 703, India.
CIN No. U39877MH1986PLC039877
Ph : +91-22-65134444 / 27616666
Fax : +91-22-27615883 / 27615886
E-mail : galaxy@galaxysurfactants.com
Website : www.galaxysurfactants.com