



30.7.2021

Environment Department Room no.217, 2<sup>nd</sup> Floor, Mantralaya Annex, Mumbai 400032.

Dear Sir,

### Subject: Compliance report of Environment Clearance

Ref : SEIAA Letter No.: SEIAA-EC-0000000268 dated 04.05.2018

Please find attached half yearly compliance report from January 2021 to June 2021, in compliance of Condition of our Environment Clearance letter dated 04.05.2018.

Kindly acknowledge receipt of this letter with its enclosure.

Thanking you, Cordially yours,

For Galaxy Surfactants Limited

House

Shamsundar Gawade Sr. Manager – Corporate Governance Process

Encl: As above

- CC : 1. Maharashtra Pollution Control Board Sub Regional Office Tarapur-I, MIDC office compound Tarapur, Post : TAPS, Boisar (W), Tal.Dist. Palghar 401504
  - Ministry of Environment and Forest, Climate Change Regional Office (WCZ), Ground Floor, East Wing, New Secretariat Building, Civil Line, Nagpur-440001 through email id: eccompliance-mh@gov.in
  - Central Pollution Control Board
     Parivesh Bhavan, Opp. VMC Ward Office No.10, Subhanpura
     Vadodara 390023, Gujarat

Factory Address: Plot No.G-59, Tarapur MIDC, Taluka Palghar, Post, Boisar-401 506 Maharashtra Regd. Office: C-49/2, TTC Industrial Area, Pawne, Navi Mumbai – 400 703, India. CIN No. U39877MH1986PLC039877 Ph : +91-22-65134444 / 27616666 Fax : +91-22-27615883 / 27615886 E-mail : galaxy@galaxysurfactants.com Website : www.galaxysurfactants.com

### COMPLIANCE REPORT OF ENVIRONMENTAL CLEARANCE (Period: January 2021 – June 2021)

### Project : Galaxy Surfactants Ltd., Project of Manufacturing of Surfactants and Specialty Chemicals at Plot No.G-59, Tarapur MIDC, Taluka Palghar

Reference: Environment clearance vide letter no.SEIAA-EC-0000000268 dated 04.05.2018.

#### Products :

Sr. No.	Name of the product	Existing Production (MT/Month)	Proposed Production (MT/Month) which is under progress. The production is yet to be started.
1	Fatty Alcohol Sulphate/Sulfosuccinate (powder/needles)- on 100% basis	100	
2	Fatty Alcohol Sulphate(Colour Needles)- on 100% basis	200	
3	Fatty Alcohol Sulphate (Liquid)- on 100% basis	48	
4	Active preparations including anionic, cationic, amphoteric, non ionic surfactants such as fatty alcohol sulphates/Quatternary ammonium compounds/alkanol amides/Glycinates/Amineoxides/betaines/Qu arternary ammonium compounds and surfactant blends		2083
5	Speciality chemicals such as polymeric conditioners, polyquats, preservatives, fatty acid esters		416
6	Sunscreens		625
7	Rec-Acetic Acid (on 100% basis)		70
8	Rec. Methanol		15
9	HCI Solution (Approx.30%)		175
10	Sodiumbisulfitesolution/Sodiumbisulfate/Sodium sulphite (Approx 30%)		250
11	Sodium Chloride (on 100% basis)		25

Note: The expansion project as per EC for the proposed production is under progress.



Status of compliance of the Conditions stipulated in our Environment Clearance dated 04.05.2018.

Sr.No.	Conditions	Compliance Status
1	The Environment Clearance is issued subject to condition that PP to achieve Zero Liquid Discharge; PP shall ensure that there is no increase in the effluent load to CETP.	<ol> <li>No trade effluent discharge in respect of existing production.</li> <li>We will abide by the above referred EC condition for proposed project which is under progress.</li> </ol>
11	No additional land shall be used / acquired for any activity of the project without obtaining proper permission.	No additional land acquired.
III	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.	We have separate SHE department to take care of health and safety of the people working in the unit. We conduct monthly meeting monitoring health and safety of the people. Half yearly health checkup of workers is being carried out on regular basis and the records are maintained as per Factories Act. Half yearly Health checkup completed in the month of December 2020. Next Health checkup is due in July 2021
IV	Proper Housekeeping programmers shall be implemented.	We are maintaining proper housekeeping within premises.
V	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of the operation and shall not be restarted until the desired efficiency has been achieve.	In case of failure of pollution control Equipment, the complete unit is being shut down and resumed only after the said equipment is rectified. We assure that the same practice will be followed in future also.
VI	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollution from DG Set (If applicable).	Existing :- Complied Expansion:- Construction work is under progress.
VII	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.	We have received EC for the proposed project on 4.5.2018. The project is under progress and we will comply to this condition.
VIII	Arrangement shall be made that effluent and storm water does not get mixed.	Separate arrangements are made for effluent and storm water.
IX	Periodic Monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.	The project is under progress and it will be a ZLD Unit. Entire effluent will be reused by recycling through ETP with Primary, Secondary & Tertiary treatment with RO & MEE & ATFD.



		We will not use ground water in our process.
X	Noise Level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.	Noise level maintained as per standards. The operating personnel use protective equipment like earmuff and earplug.
XI	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules 1989.	The overall noise levels in and around the plant kept well within the standards. Proper noise barriers, acoustic enclosures are provided on noise generating equipment like DG Set, blowers etc. to minimize noise.
XII	Green belt shall be developed and maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO / Agriculture Dept.	We have received EC for the proposed project on 4.5.2018. The project is under progress including Green belt.
X111	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.	Adequate safety measures taken within plant boundary. Leak detection devices will be installed at strategic places.
XIV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.	We have separate SHE department to take care of health and safety of the people working in the unit. We conduct monthly meeting monitoring health and safety of the people. Half yearly health checkup of workers are done on regular basis and the records are maintained as per Factories Act. Half yearly Health checkup completed in the month of December 2020. Next Health checkup is due in July 2021
XV	The Company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.	Fire prevention and life safety measures are installed in the premises. Jumpers and sprinklers installed. Complied.
XVI	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from MPCB shall be obtained for collections / treatment / storage / disposal of hazardous waste.	We have complied with the rules and regulations with regard to handling and disposal of Hazardous Wastes in accordance with the rules. MPCB has authorized us for disposal of Hazardous Waste to authorized vendors. We have obtained membership of Mumbai Waste Management Limited (MWML)

		We maintain the record for hazardous waste generation & disposal in Form 3 and submit the Annual return in Form 4 to MPCB.
XVII	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.	On-site emergency management plan prepared. Regular mock drills are carried out.
XVIII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	Environment management cell is set up
XIX	Separate funds shall be allocated for implementation of environmental protection measures / EMP along with item-wise breaks- up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year wise expenditure should reported to the MPCB and this department.	<ul> <li>We have received EC for the proposed project on 4.5.2018.</li> <li>We have budgeted separate funds for environment protection measures. The details of the above said funds are given below in rupees <ol> <li>ETP (Civil costs of Aeration tanks blowers, MBR, etc.) = 1.7 Cr</li> <li>MEE+ATFD = 1.2 Cr</li> <li>RO = 0.6 Cr</li> <li>Sludge dryer = 0.3 Cr</li> <li>Chimney = 0.2 Cr</li> <li>Scrubber = 0.75 Cr</li> </ol> </li> <li>Out of the above budgeted funds, we have utilized Rs.4,56,27,051/- towards procurement of all the ETP and scrubbe system as on 30.06.2021.</li> </ul>
XX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at website at	Complied.
XXI	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard and soft copies to the MPCB and this department on 1 <sup>st</sup> June and 1 <sup>st</sup> December of each calendar year.	

S

XXII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	Noted and will be complied whenever suggestions are received. EC copy published on website of the Company.
XXIII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective zonal office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	We have received EC for the proposed project on 4.5.2018. Status of compliance of the stipulated EC conditions, including results of monitored data is being uploaded on our website on regular basis. The Criteria Pollutant Levels are displayed on the main gate of the Company. Please refer enclosed Annexure A for latest Stack Emission reports.
XXIV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC Conditions including results of monitored data (both in hard copies as well as by email) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	Half yearly Reports are submitted.
XXV	The environmental statement for each financial year ending 31 <sup>st</sup> March in Form – V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the Company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by email.	Environment statement for the year 2019-2020 submitted online with the MPCB website on 22.9.2020. Copy of Environment statement will be displayed on the Company website along with status of EC Conditions and will also be sent to Regional Officers of MoEF by email.

For Galaxy Surfactants Limited

- Ande

Shamsundar Gawade Sr. Manager – Corporate Governance Process

### SIX MONTHLY COMPLIANCE REPORT PART I: DATA SHEET (Period: January 2021 – June 2021)

**Project** : Galaxy Surfactants Ltd., Project of Manufacturing of Surfactants and Specialty Chemicals at Plot No.G-59, Tarapur MIDC, Taluka Palghar

Reference: Environment clearance vide letter no.SEIAA-EC-0000000268 dated 04.05.2018.

Sr.No.	Particulars	Reply/Compliance			
1	Project Type: River- valley/Mining/Industry/Thermal/Nuclear/other (specify)	Industry			
2	Name of the project	Expansion project			
3	Clearance Letter(S)/OM No. and date	Environment clearance vide letter no.SEIAA-EC-0000000268 dated 04.05.2018			
4	Location				
	a. District(s)	Palghar			
	b. State(s)	Maharashtra			
	c. Latitude/Longitude	Latitude 19.7913 & Longitude 72.7363			
5	Address for correspondence				
	a. Address of the Concerned Project Chief Engineer (With Pin Code & Telephone/Telex/Fax Numbers)	Shri Vardhan Nuwal Plot No.V-23, MIDC & Plot No.1, CIDCO Taloja MIDC Area, Tal. Panvel, Dis Raigad, Maharashtra 410208. M.No.7700915445 Office Tel.No.91-22-39215300			
6	Salient Features				
	a. of the project	Expansion for new products			
	b. of the environmental management plans	ZLD ETP with Primary, Secondary & Tertiary treatment with RO & MEE & ATFD			
7	Breakup of the project area				
	a. Other	<ol> <li>Amenity Block - 388.22 SQ.M.</li> <li>Dock Leveler - 24.62 SQ.M.</li> <li>Drum Shed - 162.45 SQ.M.</li> <li>Drum Yard &amp; Scrap Yard - 100.0 SQ.M.</li> <li>ETP - 1109.01 SQ.M.</li> <li>FO Tank - 47.50 SQ.M.</li> <li>Plant Building - 5842.46 SQ.M.</li> <li>Pump Room - 66.31 SQ.M.</li> <li>Unloading Shed - 163.16 SQ.M.</li> <li>Utility Building - 716.78 SQ.M.</li> </ol>			



		Total Proposed Area – 8620.51 SQ.M.
8	Breakup of the project affected population with enumeration of those losing houses/dwelling units only agricultural land only Both dwelling units & agricultural land and landless labourers/artisans. a. SC, ST / Adivasis b. Others	N.A. as expansion is within the MIDC allotted plot.
9	Financial Details	
	<ul> <li>Project cost as originally planned and subsequent revised estimates and the year of price reference</li> </ul>	Rs.85/- Crores
	b. Allocation made for environmental management plans with item wise and year wise break up.	Total allocation for environmenta management plans is for Rs.4.75 Crores The details of the above said funds are given below in rupees 1. ETP (Civil costs of Aeration tanks blowers, MBR, etc.) = 1.7 Cr 2. MEE+ATFD = 1.2 Cr 3. RO = 0.6 Cr 4. Sludge dryer = 0.3 Cr 5. Chimney = 0.2 Cr 6. Scrubber = 0.75 Cr Out of the above budgeted funds, we have utilized Rs.4,56,27,051/- towards procurement of all the ETP and scrubber system as on 30.06.2021.
	c. Benefit cost ratio / Internal Rate of Return and the year of assessment	New Project
	d. Whether c. includes the cost of environmental management as shown in the above	
	b) Actual expenditure incurred on the project so far	Rs.89.9 Crores as on 30.06.2021
	c) Actual expenditure incurred on the environmental management plans so far	Rs.4,56,27,051/- as on 30.06.2021
10	Forest land requirement	
	<ul> <li>a. The status of approval for diversion of forest land for non-forestry use</li> </ul>	N.A.
	b. The status of clearing felling	N.A.
	c. The status of compensatory afforestation, if any	N.A.
11	The status of clear felling in non-forest areas (such as submergence area or reservoir, approach roads), if any with quantitative information required.	N.A.

12	Status of construction (Actual &/or Planned)	
	<ul> <li>a. Date of commencement (Actual &amp;/or Planned)</li> </ul>	15.01.2019
	<ul> <li>b. Date of Completion (Actual &amp;/or Planned)</li> </ul>	31.10.2021
13	Reason for the delay if the project is yet to start	Project under construction
14	Date of site visits	
	a. The dates on which the project was monitored by the Regional Office on the previous occasions, if any.	Project was visited and monitored by the Field Officer, MPCB, Tarapur-I on 24.03.2021.
	b. Date of site visit for this monitoring report	N.A.
15	Details of correspondence with project authorities for obtaining action plans/information on status of compliance to safeguards other than the routine letters for logistic support for site visits).	

For Galaxy Surfactants Limited

Zand

Shamsundar Gawade Sr. Manager – Corporate Governance Process



Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India. © : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER SAVE LIFE

Gazetted By Ministry of Environment & Forest Govt Of INDIA. S. O. 857 (E), Valid upto 25/02/2023 \* QCI-NABET Accredited EIA Consultancy

	(Margarethernoord)	and the second	P	A CARACTER CARACTER AND	1	manufacture and a second s	
Report No.	SEETL21	10000737		Report Date	26/	5/03/2021	
Name of Client	M/s. Ga	alaxy Surfactants	Limited				
Address of Client	Plot No	. G-59, MIDC Tara	ipur, Boisar Tal. &	Dist. Palghar,	Pin :	401506, Mahara	shtra
Order / Reference	450011	3025 Dated 17.06	5.2020				
Date Of sampling	18/03/2	1021	Sample Recei	ipt Date	19	9/03/2021	
Analysis Started on	20/03/2	2021	Analysis Com	pleted On	26	5/03/2021	
ULR No.	-						
Sample Collected By	SEETL R	lepresentative	Sampling SO	IP No.	SF	EETL/LD/SOP/AA-	-32
Environmental Condition of Lab			Temperature	Temperature (°C) 24.8		Humidity (%)	65
		DETAI	ILS OF STACK				-1
Attached To		HAG					
Shape		Round					
Diameter (mm)		450					
Height From Ground Level (Mtr)		25 Mtr.					
Temperature ( <sup>0</sup> C)		148.00					
Velocity of Flue Gases (m/sec)		4.65					
Volume of Flue Gases (m <sup>3</sup> /hour)		2663.88					
Type of Fuel		Furnace Oil					

### POLLUTIONAL PARAMETERS

Parameters	Result	Units	MPCB Limit	Method
TPM	59	mg/Nm <sup>3</sup>	150.00	IS 11255 (Part 1):1985 RA. 2019
SO <sub>2</sub>	15	Kg/Day		IS 11255 (Part 2):1985 RA. 2019
NO <sub>x</sub>	19	mg/Nm <sup>3</sup>	-	IS 11255 (Part 7):2005 RA. 2017
0 <sub>2</sub>	7.8	%	14 A	EPA Method-3A 1997
CO <sub>2</sub>	11.3	%	-	EPA Method-3A 1997

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.

2) The above results relate only to the item tested.

Authorized Signatory Nilesh Naik

Format No. SEETL/LD/F-72

BRANCH OFF. : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ⑦ : (0832) 2437048 / 2437164 E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY

: B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101. Goa State, India. 1 : (0832) 2411322 / 23 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379



Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India. (): (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com SAVE WATER SAVE UFE

Gazetted By Ministry of Environment & Forest Govt Of INDIA. S. O. 857 (E), Valid upto 25/02/2023 \* QCI-NABET Accredited EIA Consultancy

#### ANALYSIS TEST REPORT 26/03/2021 **Report Date** SEETL210000738 Report No. Name of Client M/s. Galaxy Surfactants Limited Plot No. G-59, MIDC Tarapur, Boisar Tal. & Dist. Palghar, Pin : 401506, Maharashtra. Address of Client 4500113025 Dated 17.06.2020 Order / Reference 19/03/2021 Sample Receipt Date 18/03/2021 Date Of sampling 26/03/2021 Analysis Completed On 20/03/2021 Analysis Started on ULR No. -SEETL/LD/SOP/AA-32 Sampling SOP No. SEETL Representative Sample Collected By Temperature (°C) 24.8°C Humidity (%) 65 **Environmental Condition of Lab** DETAILS OF STACK Attached To **DG 250 KVA** Round Shape 150 Diameter (mm) Height From Ground Level (Mtr) 6.0 Mtr. Above the roof 190.00 Temperature (<sup>0</sup>C) Velocity of Flue Gases (m/sec) 12.71 Volume of Flue Gases (m<sup>3</sup>/hour) 808.27 Type of Fuel HSD

### POLLUTIONAL PARAMETERS

Parameters	Result	Units	MPCB Limit	Method
TPM	51	mg/Nm <sup>3</sup>	150.00	IS 11255 (Part 1):1985 RA. 2019
SO <sub>2</sub>	6.8	Kg/Day	-	IS 11255 (Part 2):1985 RA. 2019
NO <sub>x</sub>	15	mg/Nm <sup>3</sup>	-	IS 11255 (Part 7):2005 RA. 2017
02	14.9	%	-	EPA Method-3A 1997
CO <sub>2</sub>	5.9	%	-	EPA Method-3A 1997

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.

2) The above results relate only to the item tested.

Authorized Signatory Nilesh Naik

Format No. SEETL/LD/F-72

BRANCH OFF.

: 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India © : (0832) 2437048 / 2437164 E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY

: B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101. Goa State, India. (C): (0832) 2411322 / 23 \* E-mail : starlabgoa@rediffmail.com \* CIN No. U45209MH1998PTC-116379



Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India. Ø : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 ● E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

C : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com SAVE UFE Gazetted By Ministry of Environment & Forest Govt Of INDIA. S. O. 857 (E), Valid upto 25/02/2023 \* QCI-NABET Accredited EIA Consultancy

SAVE WATER

		ANALYSI	S TEST REP	ORT				
Report No.	SEETL	210000739		Report D	ate	26/03/2021		
Name of Client	M/s. 0	Galaxy Surfactants	Limited					
Address of Client	Plot N	o. G-59, MIDC Tara	pur, Boisar	Tal. & Dist. P	alghar, Pi	n : 401506, Mahara	shtra.	
Order / Reference	45001	13025 Dated 17.00	5.2020					
Date Of sampling	18/03	/2021	Sample	e Receipt Date	3	19/03/2021		
Analysis Started on	20/03	/2021	Analysi	is Completed	On	26/03/2021		
ULR No.	-							
Sample Collected By	SEETL	Representative	Sampling SOP No.			SEETL/LD/SOP/AA-32		
Environmental Condition of La	b	19-2-21	Temper	rature ( <sup>0</sup> C)	24.8°C	Humidity (%)	65	
		DETAI	LS OF STAC	К				
Attached To		Needle Plant B	lower		and the second			
Shape		Round	Round					
Diameter (mm)		150						
Height From Ground Level (Mt	15 Mtr.			5				
Temperature (°C) 40.00								
Velocity of Flue Gases (m/sec)		4.09				Constructed and	1 m.	
Volume of Flue Gases (m <sup>3</sup> /hou	r)	260.34		1.	12 20 10	I THE SHE IN		
Type of Fuel	Type of Fuel Electricity							

#### **POLLUTIONAL PARAMETERS**

Parameters	Result	Units	MPCB Limit	Method
ТРМ	48	mg/Nm <sup>3</sup>	150.00	IS 11255 (Part 1):1985 RA. 2019
SO <sub>2</sub>	ND	Kg/Day	-	IS 11255 (Part 2):1985 RA. 2019
NO <sub>x</sub>	ND	mg/Nm <sup>3</sup>	-	IS 11255 (Part 7):2005 RA. 2017
02	ND	%	-	EPA Method-3A 1997
CO2	ND	%	-	EPA Method-3A 1997

**NOTE:** 1) The above results relate only to the condition prevailing at the time of sampling. 2) The above results relate only to the item tested.

Authorized Signatory Nilesh Naik

Format No. SEETL/LD/F-72

BRANCH OFF.

: 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ⑦ : (0832) 2437048 / 2437164 E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY

: B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101. Goa State, India. (C): (0832) 2411322 / 23 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379



Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India. 🕼 : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER SAVE UFE

Gazetted By Ministry of Environment & Forest Govt Of INDIA. S. O. 857 (E), Valid upto 25/02/2023 \* QCI-NABET Accredited EIA Consultancy

Report No.	SEETI	210000740		Report Date		26/03/2021	
Name of Client	M/s.	Galaxy Surfactants	Limited				
Address of Client	Plot N	No. G-59, MIDC Tara	pur, Boisar Tal.	& Dist. Palghar	, Pin	: 401506, Mahara	shtra
Order / Reference	4500:	113025 Dated 17.06	5.2020				
Date Of sampling	18/03	3/2021	Sample Rec	ceipt Date	1	9/03/2021	37.1
Analysis Started on	20/03	3/2021	Analysis Completed On			26/03/2021	
ULR No.	-						
Sample Collected By	SEETI	Representative	Representative Sampling SOP No.				-32
Environmental Condition of	f Lab		Temperatur	erature (°C) 24.8		Humidity (%)	65
		DETAI	ILS OF STACK				
Attached To		SDP Plant Blow	<i>i</i> er				321
Shape		Round					
Diameter (mm)		150	a zata a a taka				
Height From Ground Level	(Mtr)	15 Mtr.					
Temperature (°C)		40.00			1.15	Mana yan Lun	144
Velocity of Flue Gases (m/s		5.06			1.83	The minimum	all se
Volume of Flue Gases (m <sup>3</sup> /l	nour)	321.83					8
Type of Fuel		Electricity					

#### **POLLUTIONAL PARAMETERS**

Parameters	Result	Units	MPCB Limit	Method
TPM	43	mg/Nm <sup>3</sup>	150.00	IS 11255 (Part 1):1985 RA. 2019
SO <sub>2</sub>	ND	Kg/Day	-	IS 11255 (Part 2):1985 RA. 2019
NO <sub>x</sub>	ND	mg/Nm <sup>3</sup>	( <del></del> )	IS 11255 (Part 7):2005 RA. 2017
02	ND	%	-	EPA Method-3A 1997
CO <sub>2</sub>	ND	%	-	EPA Method-3A 1997

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.

2) The above results relate only to the item tested.



Authorized Signatory Nilesh Naik

Format No. SEETL/LD/F-72

BRANCH OFF.

: 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ① : (0832) 2437048 / 2437164 E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY

: B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101. Goa State, India. (C): (0832) 2411322 / 23 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379



Gazetted By Ministry of Environment & Forest Govt Of INDIA. S. O. 857 (E), Valid upto 25/02/2023 \* QCI-NABET Accredited EIA Consultancy

SAVE WATER

SAVE UPE

#### ANALYSIS TEST REPORT SEETL210000741 26/03/2021 **Report Date** Report No. M/s. Galaxy Surfactants Limited Name of Client Plot No. G-59, MIDC Tarapur, Boisar Tal. & Dist. Palghar, Pin : 401506, Maharashtra. Address of Client 4500113025 Dated 17.06.2020 Order / Reference Sample Receipt Date 19/03/2021 18/03/2021 Date Of sampling 26/03/2021 20/03/2021 Analysis Completed On Analysis Started on ULR No. -SEETL/LD/SOP/AA-32 Sampling SOP No. **SEETL Representative** Sample Collected By 24.8°C Humidity (%) 65 Temperature (<sup>0</sup>C) **Environmental Condition of Lab DETAILS OF STACK** Spray Dryer (Powder Blower SDP Chimney) Attached To Round Shape 520 Diameter (mm) Height From Ground Level (Mtr) 25 Mtr. 95.00 Temperature (°C) 2.85 Velocity of Flue Gases (m/sec) Volume of Flue Gases (m<sup>3</sup>/hour) 2180.58 Type of Fuel Electricity

#### POLLUTIONAL PARAMETERS

Parameters	Result	Units	MPCB Limit	Method
TPM	49	mg/Nm <sup>3</sup>	150.00	IS 11255 (Part 1):1985 RA. 2019
SO <sub>2</sub>	ND	Kg/Day	-	IS 11255 (Part 2):1985 RA. 2019
NO <sub>x</sub>	ND	mg/Nm <sup>3</sup>	-	IS 11255 (Part 7):2005 RA. 2017
02	ND	%	-	EPA Method-3A 1997
CO <sub>2</sub>	ND	%	-	EPA Method-3A 1997

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.

2) The above results relate only to the item tested.

4) ND- Not Detected.



Authorized Signatory Nilesh Naik

Format No. SEETL/LD/F-72

BRANCH OFF.

: 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India 🕐 : (0832) 2437048 / 2437164 E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY

: B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101. Goa State, India. (): (0832) 2411322 / 23 
E-mail : starlabgoa@rediffmail.com 
CIN No. U45209MH1998PTC-116379



Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India. Ø : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 ● E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

Save water Save upe

Gazetted By Ministry of Environment & Forest Govt Of INDIA. S. O. 857 (E), Valid upto 25/02/2023 \* QCI-NABET Accredited EIA Consultancy

Report No		SEE	TL2100001	40		Report D	Date	06/01/2021	
Name of Client		M/	s. Galaxy S	urfactants L	td.			00/01/2021	
Address of Client		Plo	t No. G-59,	M.I.D.C,Tar	apur, Tal & Di	st. Palghar-	40150	06.	
Order / Reference		P.0	. No: 4500	113025 Dat	e - 17/06/20	20			
Date Of sampling		30/	12/2020		Sample Re	ceipt Date		31/12/2020	
Analysis Started or	ו	01/	01/2021		Analysis Co	ompleted C	)n	06/01/2021	
ULR No.		•	1						
Sample Collected E	Зу		TL Represe						
Sampling Plan	Plan SEETL/LD/I		TL/LD/F-03		Sampling S	SOP No.		SEETL/LD/SOP/AA-32	
Environmental Cor	ndition of	Lab			Temperatu	re( <sup>0</sup> C)	24.6		
				AMBIEN	AIR STATION	N			
Location of H.V.S.		Nea	ar Nebula	Plant (G-59)	Utility Area				
Lateral Distance		5.0	Meter from	n Utility Are	a				
<b>Receptor Distance</b>		1.5	Meters Fro	m Ground	Level				
Ambient Temperat		27			Humidity (%) 45				
Wind Speed (km/h	r)	09			Wind Direction (deg <sup>0</sup> ) WSW,255 <sup>0</sup>				
Instruments Used		R.D			PM – 550) &		1-41	1)	
- 1					AL PARAMET	ERS			
Parameters	Resu	lt	Units	NAAQS Limits			Met	hod	
PM <sub>10</sub>	62		µg/m³	100.00	IS 5182 ( Par	rt 23): 2006	5 ( RA 2	2012)	
PM <sub>2.5</sub>	28		µg/m³	60.00	EPA Quality assurance guidance document 2.12, base on CPCB- 2011				
SO <sub>2</sub>	20		µg/m³	80.00	IS 5182 (Part 2): 2001 ( RA 2012)				
NO <sub>x</sub>	24		µg/m³	80.00	IS 5182 (Par	t 6): 2006 (	RA 20	)12)	
Ozone (O <sub>3</sub> )	20		µg/m <sup>3</sup>	180.00	IS 5182 (Part IX): 1974				
0	0.94		mg/m <sup>3</sup>	04.00	NDIR IS 5182 (Part 10) C : 1999 ( RA 2014)				
								ethods of Air Sampling and	
Ammonia (NH₃)	< 20		µg/m³	400.00	analysis-3 <sup>rd</sup>				
Lead as Pb	< 0.1		µg/m³	01.00	EPA compe				
Benzene (C <sub>6</sub> H <sub>6</sub> )	< 1		µg/m <sup>3</sup>	5.00	IS 5182 (Par				
Arsenic(As)	< 5		ng/m <sup>3</sup>	6.00	EPA compe				
Nickel(Ni)	< 5		ng/m <sup>3</sup>	20.00	EPA compe	1.5			
Benzo(a)Pyrene	< 0.02	5	ng/m <sup>3</sup>	1.00	IS 5182 (Pai				
NOTE: 1) The abov									
2) The abov							or Jul		
3) PM <sub>10</sub> -Par			1. Contraction (1997)						
4) PM <sub>2.5</sub> - Pa				CONTRACTOR OF MALE AND					
5) NAAQS-N					ards				
					AQS 2009 Sta	ndards Noi	rms.	Elfronu .	
				139	Engine			(Pri	
Ch	ecked By			E	Dix Con	Þ		zed Signatory	
Trup	ti Mayeka	r		12	A A A A A A A A A A A A A A A A A A A		Prit	i Thombare	
				lo	S * P			OPETI / D/E 72	
							Form	at no. SEETL/LD/F-72	

LABORATORY : B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101. Goa State, India. (): (0832) 2411322 / 23 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379



Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India. ⑦: (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 ● E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER SAVE LIFE

Gazetted By Ministry of Environment & Forest Govt Of INDIA. S. O. 857 (E), Valid upto 25/02/2023 \* QCI-NABET Accredited EIA Consultancy

			AN	ALYSIS T	EST REPO	ORT						
Report No.		SEETL2100	000043			Rep	ort D	ate	02/	01/2020	21	
Name of Client		M/s. Gala										
Address of Client		Plot No.				Boisar	Tal.	& 1	Dist.	Palghar,	Pin:	401506
Order / Reference	9	45001130	25 Dat	ed 17.06								
Date Of sampling		26/12/202	20		Sample Receipt Date 27/12/2020							
Analysis Started o	n	28/12/202	20		Analysi	is Comp	leted	On	02,	/01/2020		
ULR No.		-							1			201
Sample Collected	Ву	SEETL Rep	resenta	ative	Sampling SOP No. SEETL/LD/SOP/AA-32					-32		
Environmental Co	invironmental Condition of Lab					rature (	°C)	24.9		Humidity	(%)	53
				ABIENT A	IR STAT	ION						
Location of H.V.S.												
Lateral Distance						e						
<b>Receptor Distance</b>			s From	Ground	-		_		1.	•		
Ambient Tempera	ture (°C)	26			Humidity (%)48Wind Direction (deg <sup>0</sup> )NNW,327 <sup>0</sup>							
Wind Speed (km/h	nr)	11		/ .		Wind Direction (deg <sup>0</sup> )         NNW,327 <sup>0</sup> PM - 550) & G.P.S.(APM - 411)						
Instruments Used R.D.S.(APM- 450), F.P POLLUTIO							P.S.(A	APINI -	-411	.)		
					PARAIV	IETERS		_				
Parameters	Result	57 Streamsteries	s	NAAQS Limits	Method							
PM <sub>10</sub>	60	μg/m	3	100.00	and the second se	2 (Part						
PM <sub>2.5</sub>	22	μg/m	3	60.00		uality as on CPC		-	uidar	nce docun	nent 2	2.12,
SO <sub>2</sub>	16	μg/m	3	80.00	IS 518	2 (Part 2	2): 20	01 ( F	A 20	)12)		
NOx	24	µg/m		80.00	and the second second second	2 (Part 6						
Ammonia (NH₃)	<20	μg/m	3	400.00		od No. 4 nalysis-3				ethods of P Lodge	Air S	ampling
со	0.60	mg/m	3	04.00	NDIR	IS 5182	(Part	10) C	: 19	99 ( RA 20	)14)	
Lead as Pb	<0.10	μg/m		01.00		ompend						
Benzene (C <sub>6</sub> H <sub>6</sub> )	<1	μg/m		5.00	IS 518	32 (Part	11) :2	006 (	RA 2	2012)		
Arsenic(As)	<5	ng/m	3	6.00	EPA c	ompend	lium I	meth	od IC	3.5		
Nickel(Ni)	<5	ng/m	3	20.00	EPA c	ompend	lium I	meth	od IC	3.5		
Ozone (O <sub>3</sub> )	21	μg/m	3	180.00	IS 518	32 (Part	IX): 1	974				
Benzo(a)Pyrene	<0.025			1.00	IS 518	32 (Part	12): 2	2004	(RA	2014)		
NOTE: 1) The abo	ve results	relate only	to the	condition	n prevail	ing at th	ne tim	e of s	samp	oling.		

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.

2) The above results relate only to the item tested.

3) PM<sub>10</sub>-Particulate Matter of size < 10 µm.

PM<sub>2.5</sub> - Particulate Matter of size < 2.5 µm.</li>

5) NAAQS-National Ambient Air Quality Standard

Checked By Trupti Mayekar

**Authorized Signatory** 

Priti Thombare

Format No. SEETL/LD/F-72

BRANCH OFF. : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ⑦ : (0832) 2437048 / 2437164 E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101. Goa State, India. (): (0832) 2411322 / 23 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379



Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India. ① : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

Gazetted By Ministry of Environment & Forest Govt Of INDIA. S. O. 857 (E), Valid upto 25/02/2023 \* QCI-NABET Accredited EIA Consultancy

			ANALYSIS TE	ST REPOR	RT						
Report No.		SEETL2100000	)44		Repo	ort Da	ate	02/0	1/20202	-1	
Name of Client		M/s. Galaxy S	urfactants L	imited							
Address of Client		Plot No. G-5			Boisar	Tal.	& D	list.	Palghar,	Pin:	401506,
Order / Reference		4500113025 0	Dated 17.06.								
Date Of sampling	_	26/12/2020		Sample F					12/2020		
Analysis Started on		28/12/2020		Analysis	Compl	eted	On	02/0	01/2020		
ULR No.		•									
Sample Collected B	У	SEETL Represe	entative	Samplin					TL/LD/SOF		
Environmental Con	dition of l	ab		Temperature (°C) 24.9 Humidity (%)				(%)	53		
			AMBIENT A	IR STATIC	ON			2000			
Location of H.V.S.		Near ETP									
Lateral Distance		5.0 Meter fro									
<b>Receptor Distance</b>			.5 Meters From Ground Level 6 Humidity (%) 48								
Ambient Temperat	ure (°C)	26		Humidit			0,				
Wind Speed (km/h	r)	11		Wind Di				_	NW,327 <sup>0</sup>		
Instruments Used	450), F.P.S.(/			P.S.(/	APM -	-411	)				
	1	P	OLLUTIONA		ETERS						
Parameters	Result		NAAQS Limits	Method							
PM10	56	μg/m <sup>3</sup>	100.00	IS 5182						1	
PM <sub>2.5</sub>	18	µg/m³	60.00	EPA Qu based c			-	uidan	ice docum	ent 2	2.12,
SO <sub>2</sub>	16	μg/m <sup>3</sup>	80.00	IS 5182	2 (Part 2	2): 20	)01 ( F	RA 20	12)		
NOx	22	μg/m <sup>3</sup>	80.00	IS 5182	2 (Part I	6): 20	)06 ( F	RA 20	12)		
Ammonia (NH <sub>3</sub> )	<20	µg/m³	400.00						ethods of Lodge	Air S	ampling
СО	0.57	mg/m <sup>3</sup>	04.00	NDIR IS	S 5182	(Part	10) C	: 199	99 ( RA 20	14)	
Lead as Pb	<0.10	μg/m <sup>3</sup>	01.00	EPA co	mpend	lium	meth	od IO	3.5		
Benzene (C <sub>6</sub> H <sub>6</sub> )	<1	µg/m <sup>3</sup>	5.00	IS 5182	2 (Part	11) ::	2006 (	RA 2	2012)		
Arsenic(As)	<5	ng/m <sup>3</sup>	6.00	EPA co	ompend	dium	meth	od IO	3.5		
Nickel(Ni)	<5	ng/m <sup>3</sup>	20.00	EPA co	ompend	dium	meth	od IC	3.5		
Ozone (O₃)	20	µg/m³	180.00		2 (Part						
Benzo(a)Pyrene	<0.025	5 ng/m <sup>3</sup>	1.00	IS 518	2 (Part	12):	2004	(RA	2014)		

**NOTE:** 1) The above results relate only to the condition prevailing at the time of sampling.

L

2) The above results relate only to the item tested.

3) PM<sub>10</sub>-Particulate Matter of size < 10  $\mu$ m.

4) PM<sub>2.5</sub> - Particulate Matter of size < 2.5 μm.

5) NAAQS-National Ambient Air Quality Standards

Checked By Trupti Mayekar

Almm. **Authorized Signatory Priti Thombare** 

SAVE WATER SAVE UPE

Format No. SEETL/LD/F-72

BRANCH OFF. : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India 🛈 : (0832) 2437048 / 2437164 E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY

: B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101. Goa State, India. (0832) 2411322 / 23 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379



Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India. SAVE WATER (): (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com SAVE LIFE-

Gazetted By Ministry of Environment & Forest Govt Of INDIA. S. O. 857 (E), Valid upto 25/02/2023 \* QCI-NABET Accredited EIA Consultancy

			ANALYSIS '	TEST REPO	RT					
Report No.		SEETL210000			Report D	ate	26/03/2021			
Name of Client		M/s. Galaxy S	urfactants	Limited						
Address of Client				apur, Boisar Tal. & Dist. Palghar, Pin: 401506, Maharashtra.						
Order / Reference		4500113025	Dated 17.06	6.2020						
Date Of sampling		18/03/2021			Receipt Date		19/03/2021			
Analysis Started on		20/03/2021		Analysis	Completed	On	26/03/2021	2021		
ULR No.	-									
Sample Collected By		SEETL Represe	entative Sampling SOP No.				SEETL/LD/SOP/AA	-32		
Environmental Condition	on of Lab			Tempera	ture (°C)	ure (°C) 24.8°C Humidity (%) 65				
			AMBIENT	AIR STATIO	ON					
Location of H.V.S.		Near ETP								
Lateral Distance		5.0 Meter from						-		
Receptor Distance		1.5 Meters Fro	om Ground							
Ambient Temperature	(°C)	32		Humidity		0.	38			
Wind Speed (km/hr)		9			rection (deg		NW,306 <sup>0</sup>			
Instruments Used		R.D.S.(APM- 4				APM –	411)			
		P	OLLUTIONA	LPARAME	ETERS		2 - 1945 A.	19		
Parameters	Result	: Units	NAAQS Limits	IVIETNOG						
PM <sub>10</sub>	70	μg/m³	100.00	IS 5182(	Part 23)200	06RA: 2	2017			
PM <sub>2.5</sub>	38	µg/m³	60.00	The rank the rest of the second	ality assura 011: 2017	nce gui	dance document 2	2.12, based or		
SO <sub>2</sub>	21	μg/m <sup>3</sup>	80.00	IS 5182(	Part 2): 200	01 RA:	2017			
NO <sub>x</sub>	24	µg/m <sup>3</sup>	80.00	IS 5182	(Part 6): 20	06 RA:	2017			
Ammonia (NH <sub>3</sub> )	<20	μg/m <sup>3</sup>	400.00	Carls Const Street Barrier Constra			Methods of Air S Lodge: 2002	ampling and		
СО	0.78	mg/m <sup>3</sup>	04.00	IS 5182	(Part 10) : 1	1999 R	A 2019			
Lead as Pb	<0.10	μg/m <sup>3</sup>	01.00	EPA com	npendium r	nethod	10 3.5: 2012			
Benzene (C <sub>6</sub> H <sub>6</sub> )	<4	µg/m <sup>3</sup>	5.00	IS 5182	(Part 11) :2	006 RA	2017			
Arsenic(As)	<5	ng/m <sup>3</sup>	6.00	EPA con	npendium r	nethod	10 3.5: 2012			
Nickel(Ni)	<5	ng/m <sup>3</sup>	20.00	EPA con	npendium r	nethod	10 3.5: 2012			
Ozone (O <sub>3</sub> )	20	μg/m <sup>3</sup>	180.00	IS 5182	(Part 9): 19	74 RA:	2019			
Benzo(a)Pyrene	<0.1	ng/m <sup>3</sup>	1.00	IS 5182	(Part 12): 2	004 RA	: 2019			
NOTE: 1) The above re			TO RECOMPLETE							

**NOTE:** 1) The above results relate only to the condition prevailing at the time of sampling.

2) The above results relate only to the item tested.

3) PM<sub>10</sub>-Particulate Matter of size < 10  $\mu$ m.

4) PM<sub>2.5</sub> - Particulate Matter of size < 2.5 μm.

5) NAAQS-National Ambient Air Quality Standards.

Authorized Signatory Nilesh Naik

Format No. SEETL/LD/F-72

BRANCH OFF. : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India (C) : (0832) 2437048 / 2437164 E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY

: B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101. Goa State, India. (): (0832) 2411322 / 23 ● E-mail : starlabgoa@rediffmail.com ● CIN No. U45209MH1998PTC-116379



Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India. O: (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER SAVE LIFE

Gazetted By Ministry of Environment & Forest Govt Of INDIA. S. O. 857 (E), Valid upto 25/02/2023 \* QCI-NABET Accredited EIA Consultancy

			ANALYSIS T	EST REPO	RT			
Report No.		SEETL2100007	34		Report Da	ate 2	6/03/2021	
Name of Client		M/s. Galaxy Su	urfactants L	imited				
Address of Client		Plot No. G-59,	MIDC Tarap	our, Boisar	Tal. & Dist.	Palgha	r, Pin: 401506, Ma	harashtra.
Order / Reference		4500113025 D	ated 17.06.	5.2020				
Date Of sampling		18/03/2021		Sample Receipt Date 19/03/2021				
Analysis Started on	20/03/2021		Analysis	Completed	On	26/03/2021		
ULR No.		-						
Sample Collected By		SEETL Represe	ntative	Samplin	g SOP No.		SEETL/LD/SOP/AA	-32
Environmental Condition	n of Lah			Tempera	ture (°C)	24.8°C	Humidity (%)	65
Environmental Condition			AMBIENT	AIR STATI	ON			
Location of H.V.S.		Near Main Sec						
Lateral Distance		5.0 Meter from		urity Gate				
Receptor Distance		1.5 Meters Fro		d Level				
Ambient Temperature	(°C)	32		Humidit			38	
Wind Speed (km/hr)		9		Wind Di	rection (deg	g <sup>0</sup> )	NW,306 <sup>0</sup>	
Instruments Used		R.D.S.(APM- 4	50), F.P.S.(A	APM – 550	) & G.P.S.(	APM -	411)	
Instruments oscu		P	OLLUTIONA	L PARAM	ETERS			
	Desult	Units	NAAQS				Method	
Parameters	Result		Limits					
PM <sub>10</sub>	76	μg/m³	100.00	IS 5182	(Part 23)20	06RA: 2	.017	
	43	μg/m <sup>3</sup>	60.00			nce gui	dance document :	2.12, based on
PM <sub>2.5</sub>	45	50 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -			011: 2017		2017	
SO <sub>2</sub>	20	μg/m <sup>3</sup>	80.00		(Part 2): 20			
NO <sub>x</sub>	26	µg/m³	80.00	IS 5182	(Part 6): 20	006 RA:	2017	المعر معرا
· · · · / NILL \	<20	µg/m <sup>3</sup>	400.00				Methods of Air S	ampling and
Ammonia (NH <sub>3</sub> )	~20	2 USA					Lodge: 2002	
CO	1.09	mg/m <sup>3</sup>	04.00	The second	(Part 10) :			
		μg/m <sup>3</sup>	01.00		mpendium		10 3.5: 2012	
	<0.10			IS 5182 (Part 11) :2006 RA 2017				
Lead as Pb	<0.10	µg/m <sup>3</sup>	5.00					
Lead as Pb Benzene (C <sub>6</sub> H <sub>6</sub> )		μg/m <sup>3</sup> ng/m <sup>3</sup>	5.00 6.00	EPA co	mpendium	metho	d IO 3.5: 2012	
Lead as Pb Benzene (C <sub>6</sub> H <sub>6</sub> ) Arsenic(As)	<4	µg/m <sup>3</sup>		EPA co	mpendium	metho		
Lead as Pb Benzene (C <sub>6</sub> H <sub>6</sub> )	<4 <5	μg/m <sup>3</sup> ng/m <sup>3</sup>	6.00	EPA co EPA co	mpendium	metho metho	d IO 3.5: 2012 d IO 3.5: 2012	


NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.

2) The above results relate only to the item tested.

3) PM<sub>10</sub>-Particulate Matter of size < 10  $\,\mu m.$ 

4)  $PM_{2.5}$  - Particulate Matter of size < 2.5  $\mu$ m.

5) NAAQS-National Ambient Air Quality Standards.



Format No. SEETL/LD/F-72

BRANCH OFF.

: 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India 🛈 : (0832) 2437048 / 2437164 E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101. Goa State, India. (): (0832) 2411322 / 23 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379



Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India. 🕐 : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER SAVE LIFE

Gazetted By Ministry of Environment & Forest Govt Of INDIA. S. O. 857 (E), Valid upto 25/02/2023 \* QCI-NABET Accredited EIA Consultancy

		2010 and 144 . 6 . 447		TEST REPORT	Report D	lato	07/04/202	1	
Report No		SEETL/Projec			Report L	Jate	07/04/202	1	
Name of Client		M/s. Galaxy	Surfactants L	td.	+ Dalahar	40150			
Address of Client		Plot No. G-59	, M.I.D.C, Tar	apur, Tal & Dis	st. Paignar-	401500			
Order / Reference			0113025 Dat	te - 17/06/2020 Sample Receipt Date 31/03/2021					
Date Of sampling		30/03/2021		Analysis Completed On 07/04/2021					
Analysis Started on		01/04/2021		Analysis CC	inpleted O	//I	0770472021		
ULR No.		-							
Sample Collected B	У	SEETL Repres		Sampling S			SEETL/LD/SOP/AA	-32	
Sampling Plan			3			24.8 <sup>0</sup>		58	
Environmental Con	dition of	f Lab		Temperatu	10 No.	24.8	C Humidity (%)	20	
				AIR STATION			2		
Location of H.V.S.				r ETP West Sid	de Area				
Lateral Distance		5.0 Meter fro							
Receptor Distance	.0 .	1.5 Meters Fr	om Ground I		, (0/)		42		
Ambient Temperat	ure(°C)	30		Humidity Wind Div	rection (de	<sup>م0</sup> ۱	42 SW,235 <sup>0</sup>		
Wind Speed (km/hi	r)	06							
Instruments Used		R.D.S.(APM-	040), F.P.S.(A	PM – 550) & AL PARAMETI	ERS	-411			
			NAAQS	ALPARANICI					
Parameters	Resu	It Units	Limits	Method					
PM10	74	μg/m <sup>3</sup>	100.00	IS 5182(Part	23)2006RA	: 2017			
				EPA Quality	assurance g	guidanc	e document 2.12, l	based	
PM <sub>2.5</sub>	32	µg/m³	60.00	on CPCB- 2011: 2017					
50	22	µg/m³	80.00	IS 5182(Part 2): 2001 RA: 2017					
50 <sub>2</sub>		μg/m <sup>3</sup>	80.00	IS 5182 (Part	6) 2006 R	A. 201-	7		
SO <sub>2</sub> NO <sub>x</sub>	27	µg/m	00.00	13 3102 (1 010	. 07. 2000 M	A. 2011			
	27 24	μg/m μg/m <sup>3</sup>	180.00	IS 5182 (Part					
NO <sub>x</sub>		μg/m <sup>3</sup>			9): 1974 R	A: 2019	9		
NO <sub>x</sub> Ozone (O <sub>3</sub> )	24	μg/m <sup>3</sup> mg/m <sup>3</sup>	180.00	IS 5182 (Part IS 5182 (Part Method No.	: 9): 1974 R : 10) : 1999 401 Based	A: 2019 RA 201 on Me	9 19 thods of Air Sampli	ng and	
NO <sub>x</sub> Ozone (O <sub>3</sub> ) CO	24 1.02	μg/m <sup>3</sup> mg/m <sup>3</sup> μg/m <sup>3</sup>	180.00 04.00	IS 5182 (Part IS 5182 (Part	: 9): 1974 R : 10) : 1999 401 Based edition by J	A: 2019 RA 201 on Me P Lodg	9 19 thods of Air Sampli e: 2002	ng and	
NO <sub>x</sub> Ozone (O <sub>3</sub> ) CO Ammonia (NH <sub>3</sub> )	24 1.02 < 20	μg/m <sup>3</sup> mg/m <sup>3</sup> μg/m <sup>3</sup>	180.00 04.00 400.00	IS 5182 (Part IS 5182 (Part Method No. analysis-3 <sup>rd</sup> e	9): 1974 R 10) : 1999 401 Based edition by J dium meth	A: 2019 RA 201 on Me P Lodg nod IO 3	9 19 thods of Air Sampli e: 2002 3.5: 2012	ng and	
NO <sub>x</sub> Ozone (O <sub>3</sub> ) CO Ammonia (NH <sub>3</sub> ) Lead as Pb	24 1.02 < 20 < 0.1	μg/m <sup>3</sup> mg/m <sup>3</sup> μg/m <sup>3</sup> μg/m <sup>3</sup> μg/m <sup>3</sup>	180.00 04.00 400.00 01.00	IS 5182 (Part IS 5182 (Part Method No. analysis-3 <sup>rd</sup> e EPA compen	9): 1974 R 10) : 1999 401 Based edition by J dium meth t 11) :2006	A: 2019 RA 201 on Me P Lodg nod IO 3 RA 201	9 19 thods of Air Sampli e: 2002 3.5: 2012 7	ng and	
NO <sub>x</sub> Ozone (O <sub>3</sub> ) CO Ammonia (NH <sub>3</sub> ) Lead as Pb Benzene (C <sub>6</sub> H <sub>6</sub> )	24 1.02 < 20 < 0.1 < 4	μg/m <sup>3</sup> mg/m <sup>3</sup> μg/m <sup>3</sup> μg/m <sup>3</sup> μg/m <sup>3</sup> ng/m <sup>3</sup>	180.00 04.00 400.00 01.00 5.00	IS 5182 (Part IS 5182 (Part Method No. analysis-3 <sup>rd</sup> e EPA compen IS 5182 (Part	9): 1974 R 10) : 1999 401 Based edition by J dium meth t 11) :2006 edium meth	A: 2019 RA 201 on Me P Lodg nod IO 3 RA 201 nod IO 3	9 19 thods of Air Sampli e: 2002 3.5: 2012 7 3.5: 2012	ng and	
NO <sub>x</sub> Ozone (O <sub>3</sub> ) CO Ammonia (NH <sub>3</sub> ) Lead as Pb Benzene (C <sub>6</sub> H <sub>6</sub> ) Arsenic(As)	24 1.02 < 20 < 0.1 < 4 < 5	μg/m <sup>3</sup> mg/m <sup>3</sup> μg/m <sup>3</sup> μg/m <sup>3</sup> μg/m <sup>3</sup> ng/m <sup>3</sup>	180.00           04.00           400.00           01.00           5.00           6.00	IS 5182 (Part IS 5182 (Part Method No. analysis-3 <sup>rd</sup> e EPA compen IS 5182 (Part EPA compen	9): 1974 R 10) : 1999 401 Based edition by J dium meth t 11) :2006 edium meth	A: 2019 RA 201 on Me P Lodg nod IO 3 RA 201 nod IO 3	9 19 thods of Air Sampli e: 2002 3.5: 2012 7 3.5: 2012 3.5: 2012	ng and	
NO <sub>x</sub> Ozone (O <sub>3</sub> ) CO Ammonia (NH <sub>3</sub> ) Lead as Pb Benzene (C <sub>6</sub> H <sub>6</sub> ) Arsenic(As) Nickel(Ni) Benzo(a)Pyrene NOTE: 1) The abov 2) The abov 3) PM <sub>10</sub> -Par 4) PM <sub>2.5</sub> - P 5) NAAQS-I	24 1.02 < 20 < 0.1 < 4 < 5 < 5 < 0.1 ve result ve result rticulate articulate	μg/m³           mg/m³           μg/m³           μg/m³           μg/m³           μg/m³           ng/m³           ng/m³           ng/m³           ng/m³           ng/m³	180.00         04.00         400.00         01.00         5.00         6.00         20.00         1.00         0 the condition         the item test         < 10 µm	IS 5182 (Part IS 5182 (Part Method No. analysis-3 <sup>rd</sup> e EPA compen IS 5182 (Part EPA compen IS 5182 (Part on prevailing a sted.	9): 1974 R 10) : 1999 401 Based edition by J dium meth t 11) :2006 adium meth t 12): 2004 t the time	A: 2019 RA 201 on Me P Lodg nod IO 3 RA 201 nod IO 3 RA 201 nod IO 3 RA 201	9 19 thods of Air Sampli e: 2002 3.5: 2012 7 3.5: 2012 3.5: 2012 3.5: 2012	ng anc	

: 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ⑦ : (0832) 2437048 / 2437164 E-mail : sadekarenviro@rediffmail.com ● Website : www.sadekarenviro.com BRANCH OFF.

LABORATORY : B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101. Goa State, India 🕐 : (0832) 2411322 / 23 • E-mail : startabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Unique Application Number	<b>Submitted Date</b>				
MPCB-ENVIRONMENT_STATEMENT-0000026859	22-09-2020				
Company Information					
<b>Company Name</b> Galaxy Surfactants Ltd	<b>Application UAN number</b> 1318				
<b>Address</b> G-59 MIDC Tarapur					
<b>Plot no</b>	<b>Taluka</b>	<b>Village</b>			
G-59	Palghar	MIDC Tarapur			
<b>Capital Investment (In lakhs)</b>	<b>Scale</b>	<b>City</b>			
585.44	MSI	Palghar			
<b>Pincode</b>	<b>Person Name</b>	<b>Designation</b>			
401506	Sesha Samba Murty	Factory Manager			
<b>Telephone Number</b>	<b>Fax Number</b>	<b>Email</b>			
02525307800	02525307879	Seshu@galaxysurfactants.com			
<b>Region</b>	<b>Industry Category</b>	<b>Industry Type</b>			
SRO-Tarapur I	Red	other			
Last Environmental statement submitted online	<b>Consent Number</b>	Consent Issue Date			
yes	MPCB/16/09171/ROT/TR-1/83/12	15.07.2016			
<b>Consent Valid Upto</b> 30.04.2021					

Product Information			
Product Name	<b>Consent Quantity</b>	Actual Quantity	UOM
Fatty Alcohol Sulphates/Sulfosuccinate (Powder/Needles)	1200	442.64	MT/A
Fatty Alcohol Sulphate (Needle-Colour)	2400	527.44	MT/A
Fatty Alcohol Sulphates/Fatty Alcohol Ether Sulphate	576	535.03	MT/A

By-product Information			
By Product Name	<b>Consent Quantity</b>	Actual Quantity	UOM
0	0	0	MT/A

1) Water Consumption in m3/day		
Water Consumption for	Consent Quantity in m3/day	Actual Quantity in m3/day
Process	15	14.96
Cooling	4	3.85
Domestic	7	6.78
All others	4	3.58
Total	30	29.17

1) Effluent Gene Particulars	ration in CMD / MLD		Consent Quan	tity	Actual Quant	ity l	иом
EFFLEUNT GENERA	ATION		15		4.4	(	CMD
DOMESTIC EFFLEU	INT		7		3	(	CMD
	Process Water Consumpt er unit of product)	tion (cubic meter of					
Name of Product			During the financial Y		During th Financial		UOM
0			0		0	-	CMD
3) Raw Material per unit of produ	Consumption (Consumption	ion of raw material					
Name of Raw Ma			During the I financial Ye		During the Financial y		UOM
Caustic soda Lye			0.64		0.38		MT/A
C1214 Alkyl polygl	lucoside		6.40		4.41		MT/A
Alkyl polyglucoside	e C0814		13.61		8.19		MT/A
FAS Liquid			1695.15		1728.40		MT/A
Galaxy LSS (Paste)	) C1216		132.67		192.40		MT/A
Citric acid (MONOF	HYDRATE)		2.02		1.44		MT/A
Sodium Sulfate			1.12		0.58		MT/A
4) Fuel Consump Fuel Name	otion	Consent quantity		ctual Qua	ntitu,	UOM	
FO		438		45.18	icity	MT/A	
HSD		61	1	3.14		KL/A	
	rged to environment/unit	of output (Paramete	er as specified in	n the cons	ent issued)		
[A] Water Pollutants Detai	l Quantity of Pollutants discharged (kL/day)	Concentration of I discharged(Mg/Lit PH,Temp,Colour		Percenta variation prescrib with rea	n from ed standards		
	Quantity	Concentration		%variati	on	Standard	Reason
рН	NA	6.5-8.5		0		5.5-9.5	NA
TSS	0.034	7.7		0		<100mg/l	NA
COD	0.035	8		0		<250mg/l	NA
BOD	0.011	2.4		0		<100mg/l	NA
TDS	0.634	144		0		<2100mg/l	
0/G	0.007	1.5		0		<10mg/l	NA
CHLORIDE	0.115	26.2		0		<600mg/l	NA
SULPHATE	0.055	12.6		0		<1000mg/l	NA
SODIUM	0.00	0.008		0		<60%	NA
FREE AMMONIA	0.002	0.05		0		<5mg/l	NA

[B] Air (Stack)

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Polluta discharged(Mg/NM3)	variati prescri	on from ibed ords with		
	<b>Quantity</b> 10.37	Concentration 53.75	%varia	tion	<b>Standard</b> <150mg/nm3	Reason
TPM (TFE)	12.25	12.25	0 0		<150mg/mm5	NA NA
SO2 (TFE)						
TPM (SDE)	5.81	50.25	0		<150mg/nm3	
SO2(SDE)	ND	ND	0		NS	NA
TPM(SDP BLOWER)	0.92	37.5	0		<150mg/nm3	
SO2(SDP BLOWER)	ND	ND	0		NS	NA
TPM(NEEDLE PLANT BLOWER)	0.79	43	0		<150mg/nm3	NA
SO2(NEEDLE PLANT BLOWER)	ND	ND	0		NS	NA
TPM(DG)	7.86	43	0		<150mg/nm3	NA
SO2(DG)	0.02	11	0		NS	NA
HAZARDOUS WASTES 1) From Process Hazardous Waste Type 5.1 Used or spent oil	e Total During Prev 0.241	-	<b>Total During Cu</b> 0.780	ırrent Financia	al year	
1) From Process Hazardous Waste Type	0.241 trol Facilities	-	0.780	al During Curre		MT/A
<ol> <li>From Process</li> <li>Hazardous Waste Type</li> <li>Used or spent oil</li> <li>From Pollution Comparison</li> </ol>	0.241 trol Facilities e	Total During Previous Fina	ancial Tota	al During Curre		МТ/А <b>UOM</b>
<ol> <li>From Process</li> <li>Hazardous Waste Type</li> <li>Used or spent oil</li> <li>From Pollution Com</li> <li>Hazardous Waste Type</li> </ol>	0.241 trol Facilities e	<b>Total During Previous Find</b> <b>year</b> 0.32	ancial Tota	al During Curre		MT/A <b>UOM</b> MT/A
<ol> <li>From Process Hazardous Waste Type</li> <li>Used or spent oil</li> <li>From Pollution Com Hazardous Waste Type</li> <li>Exhaust Air or Gas of 35.3 Chemical sludge fro</li> <li>SOLID WASTES</li> <li>From Process</li> </ol>	0.241 trol Facilities e cleaning residue om waste water treatm	<b>Total During Previous Find</b> <b>year</b> 0.32	0.780 <b>Ancial Tota</b> <b>year</b> 0.31 1.56	al During Curre	ent Financial	MT/A <b>UOM</b> MT/A
<ol> <li>From Process Hazardous Waste Type</li> <li>Used or spent oil</li> <li>From Pollution Com Hazardous Waste Type</li> <li>Exhaust Air or Gas of 35.1 Exhaust Air or Gas of 35.3 Chemical sludge fro</li> <li>SOLID WASTES</li> <li>From Process Non Hazardous Waste</li> <li>PVC PAPER BAGS</li> </ol>	0.241 trol Facilities e cleaning residue om waste water treatm Type Total During 3.796	Total During Previous Fina year 0.32 ent 1.985	0.780 <b>Ancial Tota</b> <b>year</b> 0.31 1.56 <b>Total During</b> 2.818	al During Curre	ent Financial	МТ/А <b>UOM</b> МТ/А <b>UOM</b> МТ/А
1) From Process Hazardous Waste Type 5.1 Used or spent oil 2) From Pollution Com Hazardous Waste Type 35.1 Exhaust Air or Gas of 35.3 Chemical sludge fro SOLID WASTES 1) From Process Non Hazardous Waste PVC PAPER BAGS HDPE DRUM	0.241 trol Facilities e cleaning residue om waste water treatm <b>Type Total During</b> 3.796 702	Total During Previous Fina year 0.32 ent 1.985	0.780 <b>Ancial Tota</b> <b>year</b> 0.31 1.56 <b>Total During</b> 2.818 285	al During Curre	ent Financial	MT/A UOM MT/A MT/A Nos./Y
<ol> <li>From Process Hazardous Waste Type</li> <li>Used or spent oil</li> <li>From Pollution Com Hazardous Waste Type</li> <li>Exhaust Air or Gas of</li> <li>Chemical sludge fro</li> <li>SOLID WASTES</li> <li>From Process</li> <li>Non Hazardous Waste</li> </ol>	0.241 trol Facilities e cleaning residue om waste water treatm Type Total During 3.796	Total During Previous Fina year 0.32 ent 1.985	0.780 <b>Ancial Tota</b> <b>year</b> 0.31 1.56 <b>Total During</b> 2.818	al During Curre	ent Financial	MT/A UOM MT/A MT/A Nos./Y
1) From Process Hazardous Waste Type 5.1 Used or spent oil 2) From Pollution Com Hazardous Waste Type 35.1 Exhaust Air or Gas of 35.3 Chemical sludge fro SOLID WASTES 1) From Process Non Hazardous Waste PVC PAPER BAGS HDPE DRUM	0.241 trol Facilities cleaning residue om waste water treatm Type Total During 3.796 702 418 trol Facilities	Total During Previous Fina year 0.32 ent 1.985	0.780 <b>Ancial Tota</b> <b>year</b> 0.31 1.56 <b>Total During (</b> 2.818 285 160	al During Curre	ent Financial cial year	MT/A UOM MT/A MT/A Nos./Y Nos./Y
1) From Process Hazardous Waste Type 5.1 Used or spent oil 2) From Pollution Com Hazardous Waste Type 35.1 Exhaust Air or Gas of 35.3 Chemical sludge fro SOLID WASTES 1) From Process Non Hazardous Waste PVC PAPER BAGS HDPE DRUM WOODEN PALLATE 2) From Pollution Com Non Hazardous Waste NA	0.241 trol Facilities cleaning residue m waste water treatm Type Total During 3.796 702 418 trol Facilities Type Total 0	Total During Previous Fina year 0.32 ent 1.985 Previous Financial year During Previous Financial year	2.818 285 160 <b>Total During (</b> 2.818 285	al During Curre	ent Financial cial year	MT/A UOM MT/A MT/A Nos./Y Nos./Y
<ol> <li>From Process Hazardous Waste Type 5.1 Used or spent oil</li> <li>From Pollution Com Hazardous Waste Type 35.1 Exhaust Air or Gas of 35.3 Chemical sludge fro</li> <li>SOLID WASTES 1) From Process Non Hazardous Waste PVC PAPER BAGS</li> <li>HDPE DRUM</li> <li>WOODEN PALLATE</li> <li>From Pollution Com Non Hazardous Waste NA</li> <li>Quantity Recycled of unit</li> </ol>	0.241 trol Facilities cleaning residue m waste water treatm Type Total During 3.796 702 418 trol Facilities Type Total 0	Total During Previous Fina year 0.32 ent 1.985 Previous Financial year During Previous Financial year	0.780 <b>Ancial Tota</b> year 0.31 1.56 <b>Total During (</b> 2.818 285 160 <b>Total Dur</b> 0	al During Curre r Current Financ	ent Financial cial year inancial year	MT/A UOM MT/A MT/A Nos./\ Nos./\ Nos./\
<ol> <li>From Process Hazardous Waste Type 5.1 Used or spent oil</li> <li>From Pollution Com Hazardous Waste Type 35.1 Exhaust Air or Gas of 35.3 Chemical sludge fro</li> <li>SOLID WASTES 1) From Process Non Hazardous Waste PVC PAPER BAGS HDPE DRUM WOODEN PALLATE</li> <li>From Pollution Com Non Hazardous Waste NA</li> <li>Quantity Recycled of</li> </ol>	0.241 trol Facilities cleaning residue m waste water treatm Type Total During 3.796 702 418 trol Facilities Type Total 0	Total During Previous Fina year 0.32 ent 1.985 Previous Financial year During Previous Financial year	Ancial Tota year 0.31 1.56 Total During ( 2.818 285 160 Total Dur 0	al During Curre	ent Financial cial year inancial year	MT/A Nos./Y Nos./Y <b>UOM</b> MT/A

1) Hazardous Waste

Type of Hazardous Waste Generated

5.1 Used or spent oil	0.780	MT/A LIQUID
35.1 Exhaust Air or Gas cleaning residue	0.310	MT/A SOLID
35.3 Chemical sludge from waste water treatment	1.560	MT/A SOLID

2) Solid Waste			
Type of Solid Waste Generated	<b>Qty of Solid Waste</b>	UOM	<b>Concentration of Solid Waste</b>
EMPTY BAGS	2.818	MT/A	PAPER BAGS WITH PVC LINER
HDPE DRUM	285	Nos./Y	NA
WOODEN PALLATE	160	Nos./Y	NA

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)	Reduction in Power Consumption (KWH)	Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)
Conversion of Fuel for the Boiler from LDO to Natural Gas	NIL	NIL	NIL	NIL	25	NIL

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution. [A] Investment made during the period of Environmental Statement

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
NIL	NIL	NIL

[B] Investment Proposed for next Year		
Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
NIL	NIL	NIL

Any other particulars in respect of environmental protection and abatement of pollution.

#### Particulars

Secondary and Tertiary treatment to effluent is done at our sister units situated at M3 MIDC Tarapur, We have received ZLD amendment consent at M-3 unit

### Name & Designation

Ramakant Chaudhary-Manager Corporate Governance

### FORM FOR FILING ANNUAL RETURNS

x

[ To be submitted to state pollution control board/pollution control committee by 30th June of every year for the preceeding period April to march]

Unique Application Number: MPCB-HW_ANNUAL_RETURN-000002	1056	<b>Submitted On:</b> 23-06-2021			
<b>Submitted for Year:</b> April 2020 to March 2021					
<b>1. Name of the generator/operato</b> GALAXY SURFACTANTS LTD	or of facility		<b>it/facility</b> APUR MIDC, BOISAR		
1b. Authorization Number		Date of issue			ate of validity <sup>f</sup> consent
MPCB/16/09171/ROT/TR-1/83/12		Jul 15, 2016		A	or 30, 2021
<b>2. Name of the authorised person</b> MR. SESHA SAMBA MURTY	1	Full address of au PLOT NO.G-59, TAR	<b>ithorised person</b> APUR MIDC, BOISAR		
<b>Telephone</b> 9867613368	<b>Fax</b> 02525-30787	9	<b>Email</b> seshu@galaxysurfactants.com		

#### 3. Production during the year (product wise), wherever applicable

Product Type *	Product Name *	<b>Consented Quantity</b>	Actual Quantity	иом
Chemical ,Petrochemical &Electrochemical	FATTY ALCOHOL SULPHATES ( POWDER/NEEDLES)	1200.0000	372.27	MT/A
Chemical ,Petrochemical &Electrochemical	FATTY ALCOHOL SULPHATES ( COLOR NEEDLES)	2400.0000	293.26	MT/A
Chemical ,Petrochemical &Electrochemical	FATTY ALCOHOL SULPHATES ( LIQUID)	576.0000	414.02	MT/A

### PART A: To be filled by hazardous waste generators

### 1. Total Quantity of waste generated category wise

<i>Type of hazardous waste</i> 5.1 Used or spent oil	Wate Name ETP SLUDGE	<b>Consented Quantity</b> 2.000	<b>Quantity</b> 0.600	<b>UOM</b> MTA
35.1 Exhaust Air or Gas cleaning residue		0.280	MTA	
35.3 Chemical sludge from waste water treatment		1.17	MTA	
2. Quantity dispatched category wise.				
<i>Type of Waste</i> 5.1 Used or spent oil	<b>Quantity of waste</b> 0.600	<b>UOM</b> MTA	<b>Dispatched to</b> Disposal Facility	-
35.1 Exhaust Air or Gas cleaning residue	0.280	MTA	Disposal Facility	MWML
35.3 Chemical sludge from waste water treatment	1.17	MTA	Disposal Facility	MWML
3. Quantity Utilised in-house,If any				
Type of Waste	<b>Name of Waste</b> NA	<b>Quantity of Waste</b> 0	<b>UOM</b> KL/Anum	
4. Quantity in storage at the end of the year				
Type of Waste	<b>Name of Waste</b> NA	<b>Quantity of Waste</b> 0	<b>UOM</b> KL/Anum	

## PART B: To be filled bt Treatment, storage, and disposal facility operators

<b>1.Total Quantity received</b> NA	<b>UOM</b> KL/Anum	<b>State Name</b> Other				
<b>2. Quantity in stock at the beginning of the year</b> NA	<b>UOM</b> KL/Anum					
<b>3. Quantity treated</b> NA	<b>UOM</b> KL/Anum					
4. Quantity disposed in landfills as such and after treatment						
<b>Direct landfilling</b> NA	<b>UOM</b> KL/Anum					
<b>Landfill after treatment</b> NA	<b>UOM</b> KL/Anum					
<b>5. Quantity incinerated (if applicable)</b> NA	<b>UOM</b> KL/Anum					
<b>6. Quantiry processed other than specified above</b> NA	<b>UOM</b> KL/Anum					
<b>7. Quantity in storage at the end of the year.</b> NA	<b>UOM</b> KL/Anum					

### PART C: To be filled by recyclers or co-processors or other users

1. Quantity of waste rece	ived during the ye	ar						
Waste Name/Category	Country Name	State Name	Quantity of waste domestic sources		Quantity of waste imported(If any)	Units		
NA	India	Other	NA		NA	KL/Anum		
2. Quantity in stock at the	e beginning of the	year						
Waste Name/Category			Quantity	U	ЮМ			
NA			NA	К	L/Anum			
3. Quantity of waste recycled or co-procesed or used								
Name of Waste	-	pe of Waste		Quantity	UOM			
NA	NA	A Contraction of the second seco		NA	KL/Anum			
4. Quantity of products dispatched (wherever applicable)								
Name of product		Quanti	ty	UOM				
NA		NA		KL/Anum				
5. Total quantity of waste	generated							
Waste name/category		quanti	ty	UOM				
NA		NA		KL/Anum				
6. Total quantity of waste disposed								
Waste name/category		quanti	ty	UOM				
NA		NA		KL/Anum				
7. Total quantity of waste re-exported (If Applicable)								
Waste name/category		quanti	ty	UOM				
NA		NA		KL/Anum				
8. Quantity in storage at t	the end of the yea	r						
Waste name/category		quanti	ty	UOM				
NA		NA		KL/Anum				
Personal Details								
Place		Date		Designation				



Global Supplier to Global Brands

Galaxy Surfactants Ltd.

30.07.2021

Environment Department Room no.217, 2<sup>nd</sup> Floor, Mantralaya Annex, Mumbai 400032.

Dear Sir,

### Subject: Compliance report of Environment Clearance

Ref :SEIAA Letter No.: SEIAA-EC-0000000268 dated 04.05.2018

Please find attached half yearly compliance report from January 2021 to June 2021, in compliance of Condition of our Environment Clearance letter dated 04.05.2018.

Kindly acknowledge receipt of this letter with its enclosure.

Thanking you, Cordially yours,

For Galaxy Surfactants Limited

mhatre

Dilip Mhatre Sr. Manager – Innovation Process

Encl: As above

- CC : 1. Maharashtra Pollution Control Board Sub Regional Office Tarapur-I, MIDC office compound Tarapur, Post : TAPS, Boisar (W), Tal.Dist. Palghar 401504
  - Ministry of Environment and Forest, Climate Change Regional Office (WCZ), Ground Floor, East Wing, New Secretariat Building, Civil Line, Nagpur-440001 through email id: eccompliance-mh@gov.in
  - Central Pollution Control Board
     Parivesh Bhavan, Opp. VMC Ward Office No.10, Subhanpura
     Vadodara 390023, Gujarat

C. C. Lead 3/8/2 3/8/2 3/8/2 aus control on our of the out of

Factory Address: Plot No.G-59, Tarapur MIDC, Taluka Palghar, Post, Boisar-401 506 Maharashtra

#### Regd. Office:

C-49/2, TTC Industrial Area, Pawne, Navi Mumbai – 400 703, India. CIN No. U39877MH1986PLC039877 Ph : +91-22-65134444 / 27616666 Fax : +91-22-27615883 / 27615886 E-mail : galaxy@galaxysurfactants.com Website : www.galaxysurfactants.com

CIN L39877MH1986PLC039877 Email id galaxy@galaxysurfactants.com